#### CSIR-NATIONAL METALLURGICAL LABORATORY





## CONTRACT DOCUMENTS FOR THE WORK

Annual Contract for Miscellaneous Civil Works in Main Lab., LSTF and Mg. Pilot Plant Areas of NML for the year 2017-18 & 2018-19

SIGNATURE OF THE CONTRACTOR WITH DATE AND SEAL



Sl. No.	CONTENTS	Page No.
I	NOTICE INVITING TENDER	1
II	ARTICLES OF AGREEMENT	5
III	GENERAL CONDITIONS OF CONTRACT CLAUSE:	
	1. INTERPRETATION	6
	2. DRAWINGS & SPECIFICATIONS	6
	3. CONTRACTOR TO PROVIDE EVERYTHING NECESSARY	6
	4. AUTHORITIES, NOTICES & PATENTS	
	5. RATES TO INCLUDE ALL TAXES	7
	6. MATERIALS	8
	7. TESTING OF MATERIALS	8
	8. CONTRACTOR'S ENGINEER/FOREMAN & WORKMAN	9
	9. ACCESS	9
	10. VARIATION & PRICE FOR VARIATION	9
	11. FACULTY MATERIALS & WORK	10
	12. WORKS TO BE OPEN FOR INSPECTION	10
	13. ASSIGNMENT OR SUB-LETTING	11
	14. INDEMNIFYING AGAINST DAMAGES TO PERSONS,	12
	PROPERTY & STATUES	
	15. LIEN IN RESPECT OF CLAIMS IN OTHER CONTRACTS	12
	16. WITHHOLDING & LIEN IN RESPECT OF SUMS CLAIMED	13
	17. IN CASE OF DEATH OF CONTRACTOR	13
	18. SUB-CONTRACTORS	13
	19. COMPLIANCE TO LABOUR LAWS & APRENTICE ACT	14
	20. COMPENSATION FOR DELAY	14
	21. DAMAGES TO WORKS IN CONSEQUENCE OF	14
	HOSTILITIES OR WAR LIKE OPERATION	
	22. EXTENSION OF TIME	15
	23. SUSPENSION OF WORK BY CONTRACTOR	15
	24. SECURED ADVANCE	16
	25. CERTIFICATES & PAYMENTS	16
	26. SECURITY DEPOSIT	17
	27.COMPLETION CERTIFICATE	18
	28. ESCALATION	18
	29. ARBITRATION	19
	30. DISMANTLED MATERIAL	20
	31. PERFORMANCE GUARANTEE	20
IV	SPECIAL CONDITIONS	21-22
V	ADDITIONAL CONDITIONS	23
VI	INDENTURE FOR SECURED ADVANCE	24-25
VII	PERFORMANCE GUARANTEE	26
VIII	BILL OF QUANTITIES	14 Pages
IX	APPROVED MATERIAL LIST (if any)	2 Pages
X	OTHER CONDITIONS (if any)	

SIGNATURE OF THE CONTRACTOR WITH DATE AND SEAL



#### CSIR-NATIONAL METALLURGICAL LABORATORY



(Council of Scientific & Industrial Research) JAMSHEDPUR-831 007.

#### **ENGINEERING DIVISION**

#### NOTICE INVITING TENDER

Ref. No. NML/ENG./WSM/NIT/06 (01)/2017-2018 Date:12.06.2017

Name of work

Annual Contract for Miscellaneous Civil Works

in Main Lab., LSTF and Mg. Pilot Plant Areas of NML for the year 2017-18 & 2018-19. (No. NML/ENG./WSM/AMC-Civil Lab., Pilot

Plant/2017-18 & 2018-19)

Tender Paper Submitted by

Rs.29,40,521.00

**Estimated Cost** Earnest Money

58,810.00

Tender Amount

Rs.

Earnest Money

Rs.

D.D.No. Date Amount

Date of opening of tender

27.06.2017

#### Please note that:

- (1) As per NIT, the documents required in envelope-1 should be complete in all respect, failing which bid will be rejected.
- (2) Unsigned tender will be rejected. Signature should be at all the required places.
- (3) Tender received after the due date and time will not be considered.
- (4) Tender will be submitted in sealed cover which shall contain two separate sealed envelopes marked as envelope-1& envelope-2.
- (5) Earnest Money in the shape of Demand Draft payable to Director, CSIR-NML to be submitted in the envelope marked as envelope-1.
- (6) Particulars of tender to be filled-in & submitted with the tender in the envelope marked as envelope-2.
- (7) The rates are to be written both in figure and words.
- (8) Name of the work and the due date must always be written neatly on the cover otherwise the tender will be liable for rejection.
- (9) The general specifications to be followed can be seen at the Works & Service Maintenance Office.

SIGNATURE OF THE CONTRACTOR WITH DATE AND SEAL



#### COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH

#### NOTICE INVITING TENDER

Sealed Tenders are hereby invited for the work of "Annual Contract for Miscellaneous Civil Works in Main Lab., LSTF and Mg. Pilot Plant Areas of NML for the year 2017-18 & 2018-19" from the contractors working with CPWD, PWD, MES, Railways, Semi-Government Organization, Public Sector Undertakings, Tata Groups or those who have worked for CSIR or its laboratories/Institutes and have successfully carried out minimum one/two/three similar work of amounting 80%/50%/40% value of estimated cost i.e., Rs.23,52,420.00/Rs.14,70,260.00.00/Rs.11,76,210.00 respectively or above in a single contract during last seven years. The tenderers are required to produce proof of fulfilling the conditions TIN/VAT registration certificate, PAN card and Banker's Certificate issued within last 1year from NIT date, Valid electrical license (for electrical works) while making request for issue of Tender documents.

- 2. Estimated Cost is Rs. 29,40,521.00 (Rupees Twenty Nine Lakhs Forty Thousand Five Hundred Twenty One only).
- 3. Time for carrying out the work will be <u>Twelve Months</u> and the date of commencement shall be reckoned from the tenth day of issue of award letter.
- 4. Complete Contract documents to be complied by the tenderer; whose tender may be accepted can be seen at the office of Engineering Division at NML, Jamshedpur.
- 5. The tender shall not be issued physically. The interested and eligible contractors are to download the complete tender/contract document from NML Website i.e. <a href="www.nmlindia.org">www.nmlindia.org</a>. Tenderers should submit Rs 500/- (Rupees Five Hundred Only) in DD in favour of Director, CSIR-NML (non-refundable) for tender cost.
- 6. Tenders should be submitted in double sealed covers super scribed with the name of the work, date and time of opening written both on the inner and outer envelopes. This will be received <u>upto 15.00</u> <u>Hrs. on 27.06.2017</u> and will be opened at <u>15.30 P.M. on the same day in the office of Engineering Division at NML, Jamshedpur. Tenders should be dropped in the tender box placed at <u>NML Main Gate</u> before the closing date and time indicated. In case these are sent by post these should be sent by Regd. Post/Speed post addressed to the Director, NML, Jamshedpur. Tenderers are to ensure that they post the tender well in advance so as to reach before the closing time and date indicated.</u>
- 7. The Earnest Money amounting of Rs.58,810.00 (Rupees Fifty Eight Thousand Eight Hundred Ten only) as demand draft or pay order of a schedule bank and drawn in favour of Director,CSIR-NML should accompany the tender.
- 8. The Employer does not bind himself to accept the lowest or any tender and reserves to himself the right of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rates quoted.
- **9.** Canvassing in connection with the tenders is prohibited and the tenders submitted by the contractor who resort to canvassing are liable for rejection.
- 10. The tenderer shall not be permitted to tender for works in the concerned unit of CSIR in which a relative is posted in the grade between Controller of Administration and Junior Engineer, (both inclusive). He shall also intimate the names of persons who are working with him in any capacity of subsequently employed by him and who are relatives as mentioned above.
- NOTE:A person shall be deemed to be relative of another if, and only if, (a) they are members of Hindu undivided family; or (b) they are husband and wife; or (c) the one is related to the other in the following manner: Father, Mother (including step mother), Son (including step son), Son's wife, Daughter (including step daughter), Father's father, Son's son, Son's son's wife, Son's daughter, Son's daughter's husband, Daughter's son, Daughter's son's wife, Daughter's daughter, Daughter's daughter's husband, Brother (including step brother), Brother's wife, Sister (including step sister), Sister's husband.

SIGNATURE OF CONTRACTOR WITH DATE AND SEAL

OW ON

- Tender submitted shall remain valid for 90 days from the date of opening for the purpose of acceptance and award of work; validity beyond 90 days from the date of opening shall be by mutual consent.
- 12. The tenderer shall quote rates both in figures and words. He shall also workout the amount for each item of work and write in both figures and words. On check if there are differences between the rates quoted by the tenderer in words and in figures or in the amount worked out by him, the following procedure shall be followed:
  - (i) When there is a difference between the rates in figures and in words, the rates, which correspond to the amounts worked out by the tenderer shall be taken as correct.
  - (ii) When the amount of an item is not worked out by the tenderer or it does not correspond with the rate written either in figures or in words, the rate quoted by the tenderer in words shall be taken as correct.
  - (iii) When the rate quoted by the tenderer in figures and in words tallies but the amount is not worked out correctly the rate quoted by the tenderer shall be taken as correct and not the amount.
- 13. The tenderer should see drawings and in case of doubt obtain required particulars, which may in any way influence his tender from the Engineer as no claim whatsoever will be entertained for any alleged ignorance thereof.
- 14. Before tendering, the tenderer shall inspect the site to fully acquaint himself about the condition in regard to accessibility of site, nature and extent of ground, working condition of site and locality including stacking of materials, installation of tools and plants (T&P) etc., conditions affecting accommodations and movement of labour etc. required for the satisfactory execution of the work contract. No claim whatsoever on such account shall be entertained by the Employer in any circumstances.
- 15. Earnest Money will be forfeited if the contractor fails to commence the work as per letter of award.
- 16. Except writing rates and amount, the tenderer should not write any conditions or make any changes, additions, alterations, and modifications in the printed form of tenders. Tenderers who are desirous to offer rebate the same should be brought out separately in the covering letter and submitted along with the tender.
- 17. Some of the provisions of General Conditions of Contract are given below. Interpretation however shall be as given in the General Condition of Contract.
  - (a) DEFECT LIABILITY PERIOD: Twelve months from the date of completion as certified by the Employer. (Modified as per CSIR File No- 17/167/93 Engg dated:- 05.02.1997)
  - (b) MINIMUM VALUE OF WORK FOR THE INTERMEDIATE CERTIFICATE: Rs.2,45,043.00 (Rupees Two Lakhs Forty Five Thousand and Forty Three Only). Intermediate Certificate for a lesser amount can be admitted for payment at the discretion of the Engineer.
  - (c) SECURITY DEPOSIT: Security deposit shall be deducted from the running bills at 10% of the gross value of work done and measured inclusive of Earnest Money subject to a maximum of Rs. 5.00 lakhs(Rupees five lakhs only).
  - (d) COMPENSATION: Contractor shall pay as compensation an amount equal to one percent or such smaller amount as the Employer (whose decision in writing shall be final) may decide on the cost of the whole work as shown in the agreement, for every week that the work remains uncommenced or unfinished or due quantity of work remains incomplete after the proper dates. Compensation to be paid shall not exceed ten per cent of the estimated cost of the work as shown in the agreement.



18. Schedule showing approximate quantity of materials to be supplied by the Employer under Clause:6 of the General Conditions of Contract for work contracted to be executed and the rates at which they are to be charged for.

Particulars of Materials	Approx. Qty.	Rates at wh	ich the material v contracto	Place of Delivery	
a siene toda Isason Nade n	ican dell'en drignosi del	Unit	Rs. (Figures)	Rupees (Words)	TE COST TO THE STATE OF
		To terrorite	a seadly us q bus	ned sensing a state of	
SERES RELEASE	estes Soulne	e si n kwi	die dien ist g ab geldevelen	ense Talkonikob R Rominanji des sabri	en de la companya de La companya de la co
fleete mod	earl souther	de seda bas e	in aliquity to State	en strict cased as to	je sim ob spraci UV
A D IS REAL		DESIGNATION OF	STEEL STEEL CON		TO RWOLLS

NOTE: The Tenderer shall ensure that particulars in the above form are filled in by the Engineer before he submits the tender.

- 19. For all special jobs e.g. lights, air conditioning, Public address, fire protection, security/surveillance and building management systems, technical (covering also general conditions and commercial terms) and financial offers will be given separately in two sealed covers.
- 20. Purchase preference will be given to Central Public Sector Enterprises (CPSE) for award of works costing between Rs. 5crores to Rs. 100crores as per provisions contained in para 14.6.1 in CPWD Manual 2003 and O.M. No.DPE/13(12)/2003-Fin. Vol.II dated 18.07.05 issued by department of Public Sector Enterprises, Govt. of India. (Added as per CSIR File No- 11-4/2005- Engg. dated:- 28.08.2006)



#### ARTICLES OF AGREEMENT

ARTICLES OF AGREEMENT	MADE AT	this	day of
BETWEEN National Metallurg Industrial Research, New Delhi referred to as the Employer, w officers of the Society) of the	gical Laboratory, Jar , a Society registered which expression shalt the one part and _ erein after referred to	nshedpur a cons under the Societ Il include its suc	titution of Council of Scientific and ies Registration Act 1860 (Hereinafter cessors and assignees and authorised trading in the name and style of tor(s) which expression shall include
WHEREAS the Employer is d drawings, schedule of Quantities	esirous of getting the and Specifications de	escribing the work	done and has caused k to be prepared.
AND Whereas the said specification behalf of the parties.	tions and the schedule	e of quantities and	d other documents have been signed by
NOW IT IS HEREBY AGREE FOLLOWS:	D AND DECLAREI	BY AND BET	WEEN THE PARTIES HERETO AS
subject to the conditions here attached schedule of quantitie with specifications, designs,	einafter contained exe es and with such mate drawings and instruc	cute and completerials as are provide tions in writing.	provided the Contractor shall upon and e, the work at the rates specified in the ded for and in accordance in all respect Time for carrying out the work will be from the tenth day of issue of award
2. The Employer shall pay to the in the manner specified in the			me payable hereunder at the times and
			ges of Articles of Agreement.
(ii) Special Conditions Page	e No		
(iii) Additional Conditions I	Page No		
(iv) Indenture for Secured A	dvance Page No	to	
(vi)			e firm datedPage No:1 to
(vii)			
(viii)			
In witness whereof the parties he	reto have set their res	spective hands the	day and year herein above written.
Signed by, for and on behalf of E	Employer		
In the presence of			
(1)	(2)		
Signed by the said contractor In the presence of	(2)		
(1)	(2)		



#### ANNEXURE-"I"

#### GENERAL CONDITIONS OF CONTRACT

#### 1. INTERPRETATION

- a) In construing these conditions, the specifications, the schedule of quantities, tender, special conditions and agreement, the following words shall have the meanings herein assigned to them except where the subject or context otherwise requires.
- b) This contract shall comprise of the Articles of Agreement, General Conditions of Contract, Special Conditions, Additional Special Conditions, the Schedule of Quantities, Specifications, Letter of Acceptance of Tender and other documents mentioned in the contents sheet attached hereto and including those to which only reference is made herein.

WORK OR WORKS: shall mean all work or works defined in schedule of quantities, specifications and such other work or works as the contractor may be entrusted with for carrying out under this contract.

EMPLOYER: shall mean Director-General, CSIR or any officer authorized by Director-General for the purpose. (Modified vide Ref: CSIR File No- 17/167/93 - Engg dated:- 05.02.1997)

**ENGINEER**: shall mean the Engineer designated by the Employer to superintend and perform other duties as indicated in the contract.

**CONTRACTOR**: shall mean the individual or Firm or Company, whether incorporated or not undertaking the work and shall include the legal personal representative or such individual or the persons composing such Firm or Company or the successor of such Firm or Company and the permitted assignees of such individual or Firm or Firms or Company.

SITE: shall mean the site of the contract works including any buildings and erections thereon and any other land adjoining thereto (inclusive) as aforesaid allotted by the Employer or the Engineer for the contractors use.

**COMPENSATION**: shall mean all sums payable by way of compensation under any of the conditions shall be considered as reasonable compensation without reference to the actual loss or damage sustained and whether or not any damage sustained, and whether or not any damage shall have been sustained. Words imputing persons include Firms and Corporations; words imputing the singular only also include

The headings are given to the clauses for convenience and they will not limit the meaning or scope of the clauses in any way.

#### 2. DRAWINGS AND SPECIFICATIONS:

the plural and vice versa where the context so required.

The contractor shall execute whole and every part of the work in the most substantial and workmanlike manner both as regards material and otherwise in every respect in accordance with the specifications. The contractor shall also conform exactly and faithfully to the design, drawings and instructions given in the respect of the work by the Engineer. The contractor shall be furnished free of charge one copy of such specification and all such designs, drawings and instructions as are not included in the printed publications.

#### 3. CONTRACTOR TO PROVIDE EVERYTHING NECESSARY:

a) The contractor shall provide at his own cost all materials (except such materials, if any as may in accordance with the contract be supplied by the Employer), plants, tools, appliances, implements, ladders, scaffolding, temporary works, etc. requisite or proper for the execution of the work whether original, altered or substituted and whether included in the specifications or other documents forming part of the contract or which may be necessary for the purpose of satisfying or complying to the requirements of Engineer as to any manner as to which under these conditions he is entitled to be satisfied together with carriage therefore to and from the work. The contractor shall also supply without charge the requisite number of persons with means and materials necessary for the purpose of setting out works and counting, weighing and assisting in the measurement or examination at any time and from time to time of the work

Ow/

of materials. Failing his so doing, the same may be provided by the Engineer at the expense of the contractor and the expenses may be deducted from any money due to the contractor under the contract and/or from his Security Deposit.

- b) The contractor shall provide himself with requisite quantity and quality of water for carrying out the works at his own cost. If, however, piped water is supplied by the Employer, the contractor shall pay for the water at one percent of the total cost of the work done except on electrical work, air-conditioning work and furniture work. The contractor shall make his own arrangement for water connection and laying of further pipelines from the source of supply of the Employer. It should be clearly understood that the Employer does not guarantee to maintain un-interrupted supply of water and it will be incumbent on the part of the contractor to make alternative arrangement for water at his own cost in the event of any temporary break down in the water mains so that the progress of work is not held up for want of water. No claim as damages or refund of water charges will be entertained on account of such break-downs. However, if the contractor is permitted to make his own arrangement to draw water from a well, hand pump, or natural river or pond of the Employer, no charges will be made for the water drawn from the same, but the contractor will make good any damage done to the installations and ensure that the quality of water used in the work is conforming to BIS codes and provide for any treatment at his own cost.
- c) The contractor shall be allowed to construct temporary wells in Employers' land for taking water for constructions purpose only after he has permission of the Employer in writing. No charges shall be recovered from the contractor on this account but the contractor shall be required to provide necessary safety arrangement to avoid any accident or damage to adjacent buildings, roads and service lines. He shall be responsible for any accident or damage caused due to construction and subsequent maintenance of the wells and shall restore the ground to its original condition after the wells are dismantled on completion of the work.
- d) The Employer on no account shall be responsible for the expenses incurred by the contractor for hired ground or water obtained from elsewhere.
- e) Subject to availability the Employer may supply power at only one point from where the contractor shall make his own arrangement for distribution including provision of electric meters, switches, fuses etc. at his own cost. These shall be in the custody of the Employer. If there is any hindrance caused to other works the contractor shall reroute or remove such temporary lines without any extra cost. Such temporary lines shall be removed after the completion of work. The cost of power consumed by the contractor shall be payable to the Employer at rates fixed by the Employer, which would be deducted from the running account bills. However the Employer does not guarantee the supply of power and no compensation for any failure or short supply of power shall be entertained.

#### 3A. SUFFICIENCY OF TENDER

The contractor shall be deemed to have satisfied himself before tendering as to the correctness and sufficiency of the tender for the works and the rates and the prices quoted in the schedule of items, which rates and the prices shall, except as otherwise provided, cover all his obligations under the contract and all matters and things necessary for the proper completion and maintenance of the works.

(Modified as per CSIR File No- 17/167/93 - Engg dated:- 05.02.1997)

#### 4. AUTHORITIES, NOTICES AND PATENTS

- a) The contractor shall conform to any regulations and bye-laws of any corporation and of any electricity supply company and authorities with whose systems the structure is proposed to be connected, and shall before making any variations from the drawing and specifications that may be necessitated for so conforming by giving written notice to the Engineer specifying the variations proposed to be made, the reasons for making it and apply for instructions thereon. If the compliance with this clause involves any extra work not included in this contract, he shall specify these items of work and the allowance of extra payment required on their account.
- b) The contractor shall give all notices required by the said regulations or bye-laws to be given to any Authority and pay to such Authority or to any public office all fees that may be chargeable in respect of the works and lodge the receipts with the bill to the Engineer for reimbursement.



#### 5. RATES TO INCLUDE ALL TAXES

- a) Rates quoted by the contractor shall include sales tax / VAT (except service tax), purchase tax, turnover tax, duties, octroi, toll tax, royalties and all other taxes in respect of this contract. The Employer shall not entertain any claim whatsoever in this respect. However, in respect of service tax, same shall be paid by the contractor to the concerned department on demand and it will be reimbursed to him by the Department after satisfying that it has been actually and genuinely paid by the contractor. The applicable and eligible service tax shall be reimbursed preferable within 7 days but not later than 30 days of submission of documentary proof of payment provided same are in order. Tendered rates are inclusive of all taxes and levies payable under the respective statutes. However pursuant to the Constitution (Forty Sixth Amendment) Act, 1982 if any further tax or levy is imposed by statutes, after the date of receipt of tenders and the contractor thereupon necessarily and properly pays such taxes/ levies the contractor shall be reimbursed the amount as per the rules on producing proof of payment so made provided such payments, if any, is not in the opinion of the Employer (whose decision shall be final and binding) attributable to delay in executing of work within the control of the contractor.
- b) The contractor shall keep necessary books of accounts and other documents for the purpose of this conditions as may be necessary and shall allow inspection of the same by a duly authorised representative of the Employer and further shall furnish such other information and documents as the Employer may require.
- c) The contractor shall within a period of thirty days of imposition of any further tax or levy pursuant to the Constitution (Forty Sixth Amendment) Act, 1982 give a written notice thereof to the Employer that the same is given pursuant to this condition together with all necessary information relating thereto. (Modified as per CSIR File No- 11-25(2)/2013- Engg. Dated:- 08.06.2016)

#### 6. MATERIALS

- a) If the specification of schedule of items provide for the use of any material to be supplied by the Employer's stores or if it is required that the contractor shall use certain stores to be provided by the Employer as shown in the schedule of materials hereto annexed the contractor shall be bound to procure and shall be supplied such materials and stores as are from time to time required to be used by him for the purpose of the contract only and value of the materials so supplied at the rates specified in the said schedule of materials and of the quantities incorporated in the work may be set off or deducted from any sums then due, or thereafter to become due to the contractor under the contract or otherwise or against or from the Security deposit. All materials so supplied to the contractor by the Employer shall remain the absolute property of the Employer and the contractor shall be trustee of the materials so supplied/procured and the said materials shall not be removed/disposed of from the site of the work on any account and shall be at all times open for inspection by the Engineer or Employer. The contractor shall bear all incidental charges for cartage, storage and safe custody of all materials and against damage due to dampness, rain, sun, fire and theft and be fully responsible for their storage and maintenance. Any such material unused and in perfectly good condition in the opinion of the Employer at the time of the completion of work or termination of the contract or earlier shall be returned to the Employer at a place directed by the Engineer at contractor's cost and at rates stipulated in the said schedule but in case the Employer decides not to take back materials the contractor shall have no claim for compensation on account of any such materials supplied to him as aforesaid being unused by him or for any wastage or damage to any such materials.
- b) If for any reason there is delay of non-supply of material as shown in the schedule, the contractor shall procure the same and complete the work in time after due intimation and approval of the Employer. The difference in price (between his procurement price and price shown in the schedule) shall be paid to the contractor. However in case approval of the Employer is not given, only suitable extension of time would be considered and no other claim of compensation/damages shall be payable by the Employer.
- c) After completion of the work or on determination/ termination of the contract, the theoretical quantity of cement to be used in work shall be calculated on the basis of statement showing quantity of cement to be used in different items of work provided in current Schedule for the purpose printed by CPWD. In case any item is executed for which the standard constants for the consumption of cement are not available in the above mentioned statement or cannot be derived from this statement the same shall be calculated on

SIGNATURE OF CONTRACTOR WITH DATE AND SEAL

the basis of standard formula to be laid down by the Engineer. Over this theoretical quantity of cement, shall be allowed a variation upto 3% plus/minus for works estimated cost of which as put to tender is not more than Rs. 10 lakhs and upto 2% plus/minus for works estimated cost of which as put to tender is more than Rs. 10 lakhs. The difference in the quantity actually issued to the contractor and the theoretical quantity including authorised variation, if not returned by the contractor, shall be recovered at twice the issue rate, without prejudice to the provision of other conditions regarding return of materials governing the contract. In the event of its being discovered that the quantity of cement which is less than the quantity ascertained as herein before provided (allowing variation on minus side as stipulated above) the cost of quantity of cement not so used, shall be recovered from the contractor on the basis of stipulated issue rates and cartage to site.

- d) The provision of foregoing sub-clause shall apply Mutatis-Mutandis in the case of steel reinforcement or structural steel sections (each diameter/section or category shall be considered separately) except that the theoretical quantity of the steel shall be taken as the quantity required as per design or as authorised by the Engineer, including lappages, plus 3% wastage due in cutting into pieces. Over this theoretical quantity 2% plus/minus shall be allowed as variation due to wastage.
- e) The provision of foregoing sub-clause shall apply Mutatis-Mutandis in the case of cables (other than underground cables), wires, conduits/GI pipes, GI/MS sheets used in the various items of work shall be calculated on the basis of measurements recorded in the measurement books for the purpose of payment and for assessing the consumption of materials used in the works. Over this quantity a variation of 5% plus shall be allowed for wastage of materials during execution in case of cables (other than under-ground cables), wires, conduits/GI pipes, and 10% plus in case of GI/MS sheets.
- f) The provisions made above are without prejudice to the right of the Employer to take action against the contractor under the conditions of the contract for not doing the work according to the prescribed specifications.
- g) In case of easy availability of approved quality of cement and steel in the open market it will be Employer's discretion to make these items as contractor's supply (Modified as per CSIR File No-17/167/93 - Engg dated: -05.02.1997).

#### 7. TESTING OF MATERIALS

The contractor shall provide assistance, instruments, materials, labour and any other arrangement normally required for testing, checking of materials and workmanship as stipulated in the specifications and by statutory authority at his own cost. The Employer has the right to appoint the testing authorities. The contractor shall pay for the cost of test samples, its packing, transportation including testing fees. Failing his so doing, the same shall be provided by the Engineer at the expense of the contractor and the expenses may be deducted from any money due to the contractor under the contract and/or from the Security deposit or proceeds thereof or of a sufficient portion thereof.

#### 8. CONTRACTOR'S ENGINEERS/FOREMAN AND WORKMEN

- (a) Annexure refers the contractor shall give all necessary personal superintendence during the execution of the work and as long thereafter as the Engineer may consider necessary until the expiration of defects liability period. The contractor shall employ competent Site-Engineer/Foreman as per CPWD norms and as approved by the Engineer whose qualification must conform to the requirement specified by the Engineer who shall be constantly in attendance of the work while the men are at work. Any direction, explanations, instructions or notices given by the Engineer to such Site-Engineer or Foreman or any other authorised agent shall be held to be given to the contractor. (Modified as per CSIR File No- 17/167/93 Engg dated:- 05.02.1997)
- (b) The contractor shall on the request of the Engineer immediately dismiss from the works any person employed thereon who may in the opinion of the Engineer be unsuitable or incompetent or who may in the opinion of the Employer misconduct himself.

#### 9. ACCESS

a) The Engineer and the Employer or its representative shall at all reasonable time have free access to the works and/or workshops, factories or other places the materials are being prepared or constructed for the

SIGNATURE OF CONTRACTOR WITH DATE AND SEAL

En

contract and also to any place where the materials are lying or from which they are being obtained and the contractor shall give every facility to them for inspection. Except the representatives of statutory authorities and those mentioned above no other person shall be allowed on the works at any time without the permission of the Engineer.

b) If any work is to be done at a place other than the site of works, contractor shall obtain written permission of the Engineer.

#### 10. VARIATION AND PRICE FOR VARIATION

- a) The Engineer with the approval of the Employer shall have power to make any alterations/omissions/additions and/or substitutions from the original specifications, drawings, designs and written instructions and such alterations, omissions, additions, substitutions shall not invalidate the contract and any altered, additional, or substituted work which the contractor may be directed to do in the manner specified above as part of the work shall be carried out by the contractor on the same conditions in all respects on which he agreed to do the main work. The rates for such altered, additional or substituted work under this clause shall be worked out in accordance with the following provisions in their respective order.
- b) If the rates for the altered, additional or substituted work are specified in the contract for the work, the contractor is bound to carry out the altered, additional, or substituted work at the same rates as are specified in the contract for the work.
- c) If the rates for the altered, additional, or substituted work are not specifically provided in the contract for the work, the rates will be derived from the rates for a similar class of work as are specified in the contract for the work.
- d) If the rates for the altered, additional or substituted work can not be determined in the manner specified in the sub-clause (b) & (c) above, then the contractor shall, within ten working days from the date of receipt of the order to carry out the work through notice in writing, inform the Engineer of the rate which it is his intention to charge for such class of work, supported by analysis of the rate claimed which shall be based on actual cost of work plus 10% as contractor's profit and over-heads except in case of departmental materials for which contractor's profit and over-heads shall be 2.5%. When such notice has been given, the Engineer with the consent of the Employer may agree to such a rate but if the Engineer does not agree to the contractors' rate the Engineer may cancel his order to carry out such class of work and arrange to carry out in such a manner as he may consider advisable.
- e) Under no circumstances, the contractor shall suspend the work on the plea of non-settlement of rates of items falling under the clause.

#### f) Deviation Limits:

Building works - 30%

Maintenance/ Emergency works - 50%

Foundation works - 100%

Services works - 30%

(Added as per CSIR File No- 17/167/93 - Engg dated: - 05.02.1997)

#### 11. FAULTY MATERIALS, WORKMANSHIP AND DEFECTS AFTER COMPLETION

a) The Engineer shall have powers to require the removal from the site of all materials and work which in his opinion are not in accordance with specifications and in case of default, the Engineer shall be at liberty to employ other persons to remove the same without being answerable or accountable for any loss or damage that may happen or arise to such materials to be substituted thereof and in case of default the Engineer may cause the same to be supplied and all cost which may attend such removal and/or substitution are to be borne by the contractor.

SIGNATURE OF CONTRACTOR WITH DATE AND SEAL

62

- b) If it shall appear to the Engineer or to the Employer based on audit/technical examination that any work has been executed with unsound, imperfect, or unskillful workmanship or with materials of any inferior description, or that any materials or articles provided by him for the execution of the work are unsound or of a quality inferior to the contracted for or otherwise not in accordance with the contract, any defects shrinkage or other faults which may appear within the defects liability period of six months from the date of completion arising in the opinion of the Engineer, the contractor shall on demand in writing which shall be made within six months of the completion of the work from the Engineer specifying the work, materials, articles defects or other faults complained of notwithstanding that the same may have been passed certified and paid for, forthwith rectify, or remove and reconstruct the work so specified in whole or in part, as the case may require or as the case may be, remove the materials or articles so specified and provide other proper and suitable materials or articles at his own cost. In case of any such failure, the Engineer may rectify or remove or re-execute the work or remove and replace with others, the material or articles complained of as the case may be at the risk and cost in all respects of the contractor. (Modified vide Ref: CSIR File No- 17/167/93 Engg dated:- 05.02.1997)
- c) In lieu of rectifying the work not done in accordance with the contract, the Employer may, allow such work to remain, and in that case make allowance for the difference in value, together with such further reduction as in his opinion may be reasonable.
- d) Provided always that nothing in this clause shall relieve the contractor from his liability to execute the works in all respects in accordance with the terms and conditions of this contract, or from his liability to make good all defects.

#### 12. WORKS TO BE OPEN FOR INSPECTION

- a) All work under or in course of execution or executed in pursuance of the contract shall at all times be open to the inspection and supervision of the Engineer and the contractor shall at all times during the usual working hours, and at all other times at which reasonable notice of the intention of the Engineer to visit the works shall have been given to the contractor either himself be present to receive order and instruction or have a responsible agent duly accredited in writing present for that purpose.
- b) The contractor shall give not less than seven days notice in writing to the Engineer before covering up or otherwise placing beyond the reach of measurement any work in order that the same may be measured and correct dimension thereof be taken before the same is so covered up or placed beyond the reach of measurement and shall not cover up and place beyond the reach of measurement, any work without the consent in writing of the Engineer and the Engineer shall within the aforesaid period of seven days inspect the work, and if any work shall be covered up or placed beyond the reach of measurement without such notice having been given or the Engineer's consent obtained the same shall be uncovered at the contractors expense or in default thereof no payment or allowance shall be made for such work or the materials with which the same was executed.

#### 13. ASSIGNMENT OR SUB-LETTING

- a) The contract shall not be assigned or sublet without the written approval of the Employer and if the contractor shall assign or sub-let his contract or attempt to do so or become insolvent or commence any insolvency proceedings or make any composition with his creditors or attempt to do so or if any bribe, gratuity or gift, loan, perquisite, reward or advantage pecuniary or otherwise, shall either directly or indirectly, be given, promised or offered by the contractor or any of his servants or agents to any person in the employment of the Employer in any way relating to his office or employment, or if any such employee or person shall become in any way directly or indirectly interested in the contract, the Employer shall have the power to adopt any of the courses specified under clause 23 as may be best suited to the interest of the Employer and in the event of any of the courses being adopted the consequences specified in the said clause shall ensure.
- b) Where the contractor is a partnership firm, the approval in writing of the Employer shall be obtained before any changes in the constitution of the firm. Where the contractor is an individual or a Hindu undivided family business concern such approval as aforesaid shall likewise be obtained before the contractor enters

Carl

into any partnership agreement hereunder the partnership firm would have the right to carry out the work hereby undertaken by the contractor. If previous approval as aforesaid is not obtained, the contract shall be deemed to have been assigned or sub-let in contravention of clause 13(a) and the same action may be taken and the same consequences shall ensure as provided in the said clause 13(a).

#### 14. INDEMNIFYING AGAINST DAMAGES TO PERSONS, PROPERTY AND STATUTES

The contractor shall take all precautions to avoid all accidents by exhibiting necessary caution boards day and night, speed limit boards, red flags, red lights and providing barriers. He shall be responsible for all damages and accidents caused due to negligence on his part. No hindrance shall be caused to traffic during the execution of work.

- a) The contractor shall be responsible for all injury to persons, animals or things, and for all damage, whether such injury or damage arises from carelessness or accident in any way connected therewith. This clause shall be held to include interalia any damage due to causes as aforesaid to work, building (whether immediately adjacent or otherwise) and to roads, streets, footpaths, bridges or ways as well as all damage caused to the buildings and works forming the subject of this contract by inclemency of weather. The contractor indemnifies the Employer and holds him harmless in respect of all expenses arising from such injury or damages as aforesaid and also in respect of any award of compensation or damage consequent upon such claim including legal costs.
- b) The contractor shall reinstate all damage of every sort mentioned in this clause, so as to deliver the whole of the contracted works complete and perfect in every respect so as to make good and otherwise satisfy all claims for damage as aforesaid to the property of third parties.
- c) The contractor also indemnifies the Employer against all claim which may be made upon the Employer for acts during the currency of this contract by any employee or representative of an employee of the contractor or any sub-contractors, employed by him, for any injury to or loss of life of such employees, or for compensation payable under any law for the time being in force to any workmen or to the representative of any deceased or incapacitated workmen.
- d) The contractor also indemnifies the Employer against all claim which may be made upon the Employer for acts during the currency of this contract by the Central/State Government or local Municipal authorities for the non-compliance of any laws, regulations, rules pertaining to wages act, safety act in force and any amendments thereof in respect of all labour and apprentices directly or indirectly employed in the work under this contract.
- e) The Employer shall be at liberty and is hereby empowered to deduct the amount of any damages, compensation costs, charges and/or expenses arising or accruing from or in respect of any such claim and/or damages as aforesaid from any sum or sums due or to become due to the contractor or security deposit.
- f) The contractor shall indemnify the Employer against any action, claim or proceedings relating to infringement or use of any patent or design or any alleged patent or design rights and shall pay any royalties which may be payable in respect of any article or part thereof included in the contract. In the event of any claims made under or action brought against the Employer in respect of any such matters as aforesaid the contractor shall be immediately notified thereof and the contractor shall be at liberty, at his own expense, to settle any dispute or to conduct any litigation that may arise there from. Provided that the contractor shall not be liable to indemnify the Employer if the infringement of the patent or design or any alleged patent or design right is the direct result of an order passed by the said Employer or his authorised representative.

#### 15. LIEN IN RESPECT OF CLAIM IN OTHER CONTRACTS

a) Any sum of money due and payable to the contractor including the security deposit under the contract may be withheld or retained by way of lien by the Employer or Government or any other contracting person or persons against any claim of the Employer or Government or such other persons in respect of payment of a sum of money arising out of or under any other contract made by the contractor with the Employer or Government or with such other persons.



b) It is agreed term of the contract that the sum of money so withheld or retained under this clause by the Employer will be kept withheld or retained as such by the Employer or till his claim arising out of in the same contract or any other contract is either mutually settled or determined by the Arbitrator if the contract is governed by arbitration clause or by the competent court as the case may be and that the contractor shall have no claim for interest or damages whatsoever on this account or any other ground in respect of any sum of money withheld or retained under this clause and duly notified as such to the contractor.

#### 16. WITHHOLDING & LIEN IN RESPECT OF SUMS CLAIMED

- a) Whenever any claim or claims for payment of a sum of money arises out of or under the contract against the contractor, the Employer shall be entitled to withhold and also have a lien to retain such sum or sums in whole or in part from the security deposit, if any deposited by the contractor and for the purpose aforesaid the Employer shall be entitled to withhold the security deposit, if any, furnished as the case may be and also have a lien over the same pending finalisation or adjudication of any such claim. In the event of the security deposit being insufficient to cover the claimed amount or amounts or if no security deposit has been taken from the contractor, the Employer shall be entitled to withhold and have a lien to retain to the extent of such claimed amount or amounts referred to above, from any sum or sums found payable or which at any time thereafter may become payable to the contractor under the same or any other contract, with the Employer or any contracting person pending finalisation or adjudication of any such claim. It is an agreed term of the contract that the sum of money so withheld or retained under the lien referred above by the Employer will be kept withheld or retained as such by the Employer till the claim arising out of or under the contract is determined by the Arbitrator (if the contract is governed by the arbitration clause) or by the competent court as the case may be and that the contractor will have no claim for interest or damages whatsoever on any account in respect of such withholding or retention under the lien referred to above and duly notified as such to the contractor. For the purpose of this clause, where the contractor is a partnership firm or a limited company the Employer shall be entitled to withhold and also have a lien to retain towards such claimed amount or amounts in whole or in part from any sum payable in any Partner/Limited company as the case may be whether in his individual capacity or otherwise.
- b) The Employer shall have the right to cause an audit and technical examination of the works and the final bills of the contractor including all supporting vouchers, abstract etc. to be made after payment of the final bill and if as a result of such audit and technical examination any sum is found to have been over paid in respect of any work done by the contractor under the contract or any work claimed by him to have been done by him under the contract and found not to have been executed the contractor shall be liable to refund the amount of over payment and it shall be lawful for the Employer to recover the same from him in the manner prescribed in sub-clause (a) of this clause or in any other manner legally permissible and if it is found that the contractor was paid less than what was due to him under the contract in respect of any work executed by him under it, the amount of such under payment shall be duly paid by the Employer to the contractor.

Provided that the Employer shall not be entitled to recover any sum over-paid, nor the contractor shall be entitled to payment of any sum paid short where such payment has been agreed upon between the Employer on the one hand and the contractor on the other hand, under any term of contract permitting payment for work after assessment by the Employer.

#### 17. IN-CASE OF DEATH OF CONTRACTOR

Without prejudice to any of the rights or remedies under this contract, if the contractor dies, the Employer shall have the option of terminating the contract without compensation to the contractor.

#### 18. SUB-CONTRACTORS

The Employer reserves the right to use the premises and any portion of the site for the execution of any work not included in the contract. The contractor is to afford all reasonable facilities to all subcontractors, specialists, merchants, tradesmen and others who may at any time be appointed by the Employer for executing any work or supplying any goods relating to the constructions, servicing, equipping or furnishing of the work under this contract.



#### 19. COMPLIANCE TO LABOUR LAWS AND APPRENTICE ACT

The contractor shall comply with all the provisions of the minimum wages Act, 1948, contract labour (regulation and abolition) Act, 1970, and rules and orders framed there under and other labour laws affecting contract labour and Apprentice Act, 1961 and the rules and orders framed there under that may be in force or brought into force from time to time.

Contractor shall obtain a valid licence under contract labour (R&A) Act 1970 and contract labour (R&A) Central rules 1971 before commencing work and which should be valid till the completion. (Added as per CSIR File No- 17/167/93 – Engg dated:- 05.02.1997)

#### 20. COMPENSATION FOR DELAY

- a) The time for carrying out the work as entered in the tender shall be strictly observed by the contractor and shall be deemed to be the essence of the contract on the part of the contractor. The work shall through out the stipulated period of the contract be proceeded with all due diligence and the contractor shall pay as compensation an amount equal to 1% or such smaller amount as the Employer (whose decision in writing shall be final) may decide on the amount of the whole work as shown in the agreement, for every week that the work remains uncommenced or unfinished after the proper dates.
- b) And further to ensure good progress during the execution of the work, the contractor shall be bound in all cases in which the time allowed for any work exceeds one month (save for special jobs) to complete one-eighth of the whole of the work before one-fourth of the whole time allowed under the contract as elapsed; three-eighth of the work before one-half of such time has elapsed, and three-fourth of the work before three-fourth of such time has elapsed. However for special jobs if a time schedule has been submitted by the contractor and the same has been accepted by the Employer, the contractor shall comply with the said time schedule. In the event of the contractor failing to comply with this condition, he shall be liable to pay as compensation an amount equal to one percent or such smaller amount as the Employer (whose decision in writing shall be final) may decide on the said caused of the work for every week that the due quantity of work remains in complete. Provided that the entire compensation to be paid under the provisions of this clause shall not exceeds ten percent on the cost of the work as shown in the agreement.

### 21. DAMAGED TO WORKS IN CONSEQUENCE OF HOSTILITIES OR WAR-LIKE OPERATIONS

- a) The work (whether fully constructed or not) and all materials, machines, tools and plants, scaffolding, temporary buildings and other things connected therewith shall be at the risk of the contractor until the work has been delivered to the employer and a certificate from him to that a effect obtained. In the event of the work or any materials properly brought to the site for incorporation in the work being damaged or destroyed in consequence of hostilities or war-like operations the contractor shall, when ordered in writing by the Employer, remove any debris from the site, collect and properly stack or remove in store all serviceable materials salvaged from damaged work and shall be paid at the contract rates in accordance with the provision of this agreement for the work of clearing the site of debris, stacking, removal of serviceable materials and for the reconstruction of all works ordered by the Employer such payment being in addition to compensation up to the value of the work originally executed before being damaged or destroyed and not paid for. In case of works damaged or destroyed but not already measured and paid for the compensation shall be assessed by the Employer. The contractor shall be paid for the damaged/ destruction suffered and for restoring the material at the rates based on the analysis of rates tendered for in accordance with the provision of this agreement. The certificate of all the Employer regarding the quality and the quantity of materials and the purpose for which they were collected shall be final and binding on the contractor.
- b) Provided always that no compensation shall be payable for any loss in consequence of hostilities or war-like operations (i) unless the contractor had taken all such precautions against Air Raid as are deemed necessary by the A.R.P. Officers or the Employer, (ii) for any materials etc, not on the site of the work or for any tools and plant, machinery, scaffolding, temporary buildings and other things not intended for the work.

SIGNATURE OF CONTRACTOR WITH DATE AND SEAL

c) In the event of the contractor having to carry out reconstruction as aforesaid, he shall be allowed such extension of time for its completion as is considered reasonable by the Employer.

#### 22. EXTENSION OF TIME

- a) If the contractor shall desire and extension of time for the completion of the work on the grounds of his having been unavoidably hindered in its execution or any other ground, he shall apply in writing to the Employer within thirty days of the date of hindrance on account of which he desires extension as aforesaid, and the Employer shall, in his opinion (which shall be final) reasonable grounds shown therefore, authorise such extension of time if any, which may in his opinion be necessary or proper.
- b) In the event the value of work exceeds the value of the bill of quantities owing to variations the contractor shall be entitled to ask for extension of time in proportion to the increase value of the work.

#### 23. SUSPENSION OF WORK BY CONTRACTOR

- a) The Employer may without prejudice to his right against the contractor in respect of any delay or inferior workmanship or otherwise or to any claims for damages in respect of any breaches of the contract and without prejudice to any rights or remedies under any of the provisions of the contract or otherwise and whether the date for completion has or has not elapsed by notice absolutely determine the contract in any of the following cases:
  - (i) If the contractor having been given by the Engineer a notice to rectify, reconstruct or replace any defective work or that the work is being performed in any inefficient or otherwise improper or unworkman-like manner shall omit to comply with the requirements of such notice for a period of seven days thereafter or if the contractor shall delay or suspend the execution of the work so that in the judgement of the Employer (which shall be final and binding) he will be unable to ensure completion of the work by the date for completion or he has already failed to complete the work by that date.
  - (ii) If the contractor being a company shall pass a resolution or the court shall make in order that the company shall be wound up or if a receiver or a manager on behalf of a creditor shall be appointed or if circumstances shall arise which entitle the court of creditor to appoint a receiver or a manager or which entitle the court to make a winding up order.
  - (iii) If the contractor commits breach of any of the terms and conditions of this contract.
  - (iv) If the contractor commits any acts mentioned in Clause 13 hereof.
- b) When the contractor has make himself liable for action under any of the cases aforesaid the Employer shall have the following powers:
  - i) To determine or rescind the contract as aforesaid (of which termination or rescission notice in writing to the contractor under the hand of the Employer shall be conclusive evidence). Upon such determination or rescission the security deposit of the contractor shall be liable to be forfeited and shall be absolutely at the disposal of the Employer.
  - ii)The Engineer may employ labour paid by the Employer and to supply materials to carry out the work or any part of the work debiting the contractor with the cost of the labour and the price of the materials (of the amount of which cost and price certified by the Engineer shall be final and conclusive against the contractor and crediting him with the value of the work done in all respects in the same manner and at the same rates as if it had been carried out by the contractor under the terms of his contract. The certificate of the Engineer as to the value of work done shall be final and conclusive against the contractor, provided always that action under the sub-clause shall only be taken after giving notice in writing to the contractor. Provided also that if the expenses incurred by the Employer are less than amount payable to the contractor at this agreement rate the difference should not be paid to the contractor.
  - ii) After giving notice to the contractor to measure up the work of the contractor and to take such parts thereof as shall be unexecuted out of his hands and to give it to another contractor to complete in which case in any expenses which may be incurred in excess of the sum which would have been paid to the original contractor if the whole work had been executed by him (of the amount of which exceed the certificate in writing of the Engineer shall be final and conclusive) shall be borne and paid

Bu

by the original contractor and may be deducted from any money due to him by the Employer under this contract or any other account whatsoever or from his security deposit.

iii) In the event any one or more of the above courses being adopted by the Employer the contractor shall have no claim to compensation for any loss sustained by him by reason of his having purchased or procured any materials or entered into any engagements or made any advances on account or with a view to the execution of the work or the performance of the contract. And in case action is taken under any of the provisions aforesaid, the contractor shall not be entitled to recover or be paid any sum for any work thereof or actually performed under this contract unless and until the Engineer has certified in writing the performance of such work and the value payable in respect thereof and he shall only be entitled to be paid the value so certified.

#### 24. SECURED ADVANCE:

The contractor on signing an indenture in the form specified by the Employer during the progress of the execution of the work may be paid if agreed by the Employer upto 75% of the estimated value which shall take into account the market value and contractors tendered rates for the finished items of any material which in the opinion of the Engineer is likely to be incorporated in the work within next three months, are non perishable and are in accordance with the contract and which have been brought on the site in connection therewith and are adequately stored and protected against damage by weather or other causes but which have not at the time of advance been incorporated in the works. When materials on account of which an advance has been made under this clause are incorporated in the work the amount of such advance shall be deducted from the next payment made under any of the clause or clauses of this contract.

#### 25. CERTIFICATES AND PAYMENTS

- a) No payments shall be made for a work estimated to cost rupees ten thousand or less till the whole of the work shall have been completed and certificate of completion given. But in the case of a work estimated to cost more than rupees ten thousand, the contractor shall, on submitting the bill be entitled to receive a monthly payment proportionate to the part of the work executed, and to the satisfaction of the Engineer, whose certificate of the sum so payable shall be final and conclusive against the contractor, provided the amount of work done is as per the value of intermediate certificate or for a lesser amount as the discretion of the Engineer as mentioned in the NIT. All such intermediate payments shall be regarded as payments by way of advance against the final payment only and not as payments for work actually done and completed and shall not preclude the requiring of bad, unsound, imperfect or unskilled work to be removed and taken away and reconstructed or reerected or be considered as an admission of the due performance of the contract, of any part thereof in any respect or the accruing of any claim not shall it conclude. Determine or effect in any way the powers of the Employer under these conditions or any of them as to the final settlement and adjustment of the accounts or in any other way vary or affect the contract. The final bill shall be submitted by the contractor within two months of the date fixed for the completion of work or of the date of the certificate of completion furnished by the Employer and payment shall be made within three months if the value of the completed works is up to Rs. Two lakhs and in six months if the same exceeds Rs. Two lakhs of the submission of such bill. If there shall be any dispute about any item or items of the works then the undisputed item or items only shall be paid within the said period of three months or six months as the case may be.
- b) Whenever there is likely to be delay in recording detailed measurement for making a running payment, advance payment without detailed measurements for work done worked out at 75 per cent of the tendered rates for assessed quantities may be made in running account bills by the Employer on the basis of a certificate from the Engineer. The advance payments so allowed shall be adjusted in the subsequent running bills by taking detailed measurements thereof. Final payments shall be made only on the basis of detailed measurements.
- c) A bill shall be submitted by the contractor each month on or before one date fixed by the Engineer on printed forms obtainable from the Engineer's office. The Engineer shall take or cause to be taken the

SIGNATURE OF CONTRACTOR WITH DATE AND SEAL

Ph

requisite measurements for the purpose of having the same verified and the claim, as far as admissible, adjusted as far as possible, before the expiry of ten days from the presentation of the bill. If the contractor does not submit the bill within the time fixed as aforesaid the Engineer may cause action within seven days of the date fixed as aforesaid an authorised representative to measure up the said work in the presence of the contractor whose signature to the measurement will be sufficient warrant and the Engineer may prepare the bill from such measurements.

- d) Before taking any measurement of any work the Engineer or his authorised representative deputed by him shall give reasonable notice to the contractor. If the contractor fails to attend after such notice or fails to sign or to record the difference within a week from the date of measurement in the manner required by the Engineer then in any such event the measurements taken by the Engineer or by the authorised representative deputed by him as the case may be, shall be final and binding on the contractor and the contractor shall have no right to dispute the same.
- e) The charges in the bills shall always be entered at the rates specified in the agreement or in the case of any extra work ordered in pursuance of these conditions and not mentioned or provided for in the agreement at the rate determined as per clause 10. However in case of partially executed items of work, the Employer at his discretion allows proportionate rates for such items of work as determined by the Engineer whose certificate of the sum so payable shall be final and conclusive against the contractor.

#### **26. SECURITY DEPOSIT:**

- (a) The contractor shall permit the Employer at the time of making any payment to him for the work done and measured to deduct sum at the rate of 10% of the gross value of work done in each running bill along with Earnest Money if any, as already deposited by the contractor will amount to 10% of the estimated cost or Rs 5.0 lakhs whichever is less, unless full amount of security deposit in cash or in the form of fixed deposit receipts pledged in favour of the Employer has been deposited.
- (b) In case a fixed deposit receipt of any scheduled bank is furnished by the contractor to the Employer as part of the security deposit and the bank goes into liquidation or for any reason is unable to make payment against the said fixed deposit receipt, the loss caused thereby shall fall on the contractor and the contractor shall forthwith on demand furnish additional security in the Employer to make good the deficit of such sum from the running bill as mentioned above. Such deductions will be held by the Employer by way of security deposit, provided always that the Employer for this purpose shall be entitled to recover the said percentage of the amount from each running bill till the balance of the amount of security deposit is realised. All compensation of the other sums of money payable by the contractor under the terms of the contract may be deducted from the security deposit or from the interest arising there from or from any sums which may be due to or may become due to the contractor by the Employer on any account whatsoever and in the event of his security deposit being reduced by reason of any such deductions aforesaid, the contractor shall within ten days make good in cash or further fixed deposit receipt pledged in favour of the Employer. The security deposit shall be collected from the running bills of the contractor at the rates mentioned above and the earnest money if deposited at the time of tenders will be treated as part of the security deposit.
- (c) The contractor if he so desires may furnish fixed deposit receipt in advance towards the security deposit. Such fixed deposit receipt shall be of a minimum value of Rs.25000/- each (The last such fixed deposit receipt could be of a lower value on the basis of the amount). In case any recovery effected from running account bills, such recovered amount shall not be replaced with fixed deposit receipt. It is in the contractor's interest to keep a watch about the adequacy of the fixed deposit receipt submitted.
- (d) No partial refund of security deposit shall be made during the defect liability period. In case the final bill is not settled within deposited period for reasons beyond control and the Employer is satisfied that the security deposit is not required for adjustment of Employers dues or whatsoever dues either in this or any other contract then this security deposit either in full or in part could be refunded at the sole discretion of the Employer.



However release of security deposit would be only after written clearance of labour officer regarding no dues or claims is received. (Added as per CSIR File No- 17/167/93 - Engg dated:- 05.02.1997)

(e) In case of termination of contract, the security deposit shall be forfeited and amount necessary to make up this amount shall be recovered from money due to the contractor under this contract, or any other contract with the Employer.

#### 27. COMPLETION CERTIFICATE:

Within ten days of the completion of the work, the contractor shall give notice of such completion to the Employer and within ten days of the receipt of such notice the Engineer shall inspect the work. If there is no defect in the work the Employer shall furnish the contractor with a certificate of completion otherwise a certificate of completion indicating defects shall be issued but the work shall not be considered to be completed until the contractor shall have removed from the premises on which the work shall be executed all the scaffolding, surplus material, rubbish, and all huts and sanitary arrangements required for his work, people on the site in connection with the execution of the works as shall have been erected or constructed by the contractor and cleaned of the dirt, splashes, droppings of finishing items from all wood work, doors, windows, walls, floors or other parts of any building, in upon or about which the work is to be executed or of which he may have had possession for the purpose of the execution thereof. If the contractor shall fail to comply with requirements of this clause on or before the date fixed for the completion of the work, the Employer may at the risk and cost of the contractor take action as be may think fit and the contractor shall have no claim except for any sum actually realised by the sale thereof.

#### 28. ESCALATION

a) If the prices of materials not being supplied by the Employer and/or wages of labour required for execution of the work increase, the contractor shall be compensated for such increase as per provisions detailed below and the amount of the contractor shall accordingly be varied subject to the condition that compensation for escalation in prices shall be available only for the work done during the stipulated period of the contract including such period for which the contract is validly extended under the provisions of Clause 22 of General Conditions of Contract without levy of compensation under Clause 20 of General Conditions of Contract and also subject to the condition that no such compensation shall be payable for a work for which the stipulated period of completion is six months or less. Such compensation for escalation in the prices of materials and labour when due, shall be worked out based on the following provision.

i) The base date for working out such escalation shall be the last date on which the tenders were stipulated to be received.

ii)The cost of work on which escalation will be payable shall be reckoned as 85% of the cost of the bills, running or final, and from this amount the value of material supplied by the Employer and proposed to be recovered in the particular bill shall be deducted before the amount of compensation for escalation is worked out (Modified as per CSIR File No- 17/167/93-Engg dated:- 05.02.2000). In case of materials brought to site for which secured advance is included in the bill full value of such materials as assessed by the Engineer in charge (and not the reduced amount for which secured advance has been paid), shall be included in the cost of work done for operation of this clause. Similarly when such materials are incorporated in the work, the secured advance is deducted from the bill the full-assessed value of the materials originally considered for operation of this clause shall be deducted from the cost of work shown in the bill running or final. Further the cost of work shall not include any work for which payment is made for any item at prevailing market rates.

iii) The compensation for escalation for materials & labour shall be worked out as per the formula given below:

$$VM = W \times A (MI-MIo)$$
  
 $100 MIo$ 

VM-Variation in material cost i.e. increase or decrease in the amount in rupees to be paid or recovered.



W-Cost of work done worked out as indicated in sub para (ii) above.

A-Component of materials expressed as per cent of the total value of work and is predetermined as 75.

MI-Index numbers of Wholesale prices in India for all commodities published by the Reserve Bank of India for the period under reckoning.

MIo—Index numbers of Wholesale prices in India for all commodities published by the Reserve Bank of India on the date of receipt of tenders.

VL—Variation in labour cost i.e. increases or decrease in the amount in rupees to be paid or recovered.

W-Value of work done, worked out as indicated in sub para (ii) above.

B—Component of labour expressed as per cent of the total value of work and is predetermined as 25.

LI—All India consumer price index numbers for industrial workers published by the Reserve Bank of India for the period under reckoning as for the period under consideration.

LIo-- All India consumer price index numbers for industrial workers published by the Reserve Bank of India and valid on the stipulated date of receipt of tenders.

- b) The following principle shall be followed while working out indices mentioned in sub- Para (iii) above.

  i) The compensation for escalation shall be worked out at half yearly intervals and shall be with respect to the cost of work done during the six calendar months of the said work. The first such payment shall be made at the end of the six months after the month (excluding) in which the tender was accepted and thereafter as six monthly intervals. At the time of completion of work, the last period for payment might become less than six months, depending on the actual date of completion.
  - ii)The index (MI or LI) relevant to any six months for which such compensation is paid shall be the arithmetical average of the indices relevant to the six calendar months. If the period upto date of completion after the six months covered by the last such instalment of payment is less than six months, the index MI or LI shall be the average of the indices for the months falling within that period.
  - iii)The base index (MIo or LIo) shall be the one relating to the month in which the tender was stipulated to be received.
- c) In the event the price of materials and/or wages of labour required for execution of the work decreases there shall be downward adjustment of the cost of work so that the price of materials and/or wages of labour shall be deductible from the cost of work under this contract and in this regard formula herein before stated under this clause shall mutatis mutandis apply provided that no such adjustment for the decrease in the prices of materials and/or wages of labour aforementioned would be made in case of contracts in which the stipulated period of completion of the work is six months or less.
- d)Employer shall have the discretion to permit IEEMA (Indian Electrical & Electronics Manufacturer's Association) clause for Escalation In Case of specialised works e.g. lifts and electrical and Mechanical Installations etc. where the price variation is not similar to building works. (Added as per CSIR File No- 17/167/93 - Engg dated:- 05.02.1997)

#### 29. ARBITRATION:

a) Except where otherwise provided in the contract, all questions and disputes relating to the interpretation of the specifications, designs, drawings and instructions herein before mentioned, and as to the quality or workmanship or materials used on the work or as to any other question, claim, right, matter or thing whatsoever in any way arising out of or relating to the contract, designs, specifications, estimates, instructions, orders on these conditions or otherwise concerning the works,

SIGNATURE OF CONTRACTOR WITH DATE AND SEAL

Bu

or the execution of failure to execute the same whether arising during the progress of the work or after the completion or abandonment thereof shall be referred to the sole arbitration of the person appointed by the Director General, Council of Scientific and Industrial Research at the time of such dispute or if there be no Director General, Council of Scientific and Industrial Research, The Administrative Head of the Council of Scientific and Industrial Research at the time of such appointment. Any party shall appoint the Arbitrator within 30 days from the receipt of a request. The arbitrator to whom the matter is originally referred being unwilling or unable to act for any reason the Director General shall appoint another person to act as arbitrator in accordance with the terms of the contract. Such person shall be entitled to proceed with the reference from the stage at which his predecessor left it. The Arbitrator shall give a speaking award. The award of the Arbitrator shall be final and binding on the parties. The cost of the Arbitrator shall be borne equally by both the parties.

- b) It is also a term of the contract that the party invoking arbitration shall specify the dispute or disputes to be referred to arbitration under this clause together with the amount or amounts claimed in respect of each such dispute.
- c) It is also a term of the contract that if the contractor does not make any demand for arbitration in respect of any claim in writing within 90 days of receiving the intimation from the Employer that the final bill is ready for payment, the claim of the contractor will be deemed to have been waived and absolutely barred and the Employer shall be discharged and released of all liabilities under the contract in respect of these claims.
- d) Subject as aforesaid the provision of the arbitration and Conciliation Act. 1996 or any statutory modification or re-enactment thereof and the rules made there under and for the time being in force shall apply to the Arbitration reference under this clause.
  (Modified as per CSIR File No- 17/167/93 Engg dated:- 05.02.1997)

#### 30. DISMANTLED MATERIAL:

The contractor shall treat all material obtained during dismantling of structure, services, subsystem/installations, excavation of the site for a works etc. as Employer's property and such material shall be disposed of to the best advantage of the Employer according to the instruction issued in writing by the Engineer.

(Added as per CSIR File No- 17/167/93 - Engg dated:- 05.02.1997)

#### 31.PERFORMANCE GUARANTEE:

Performance guarantee may be taken from the contractor before the award of the work, by the officer authorised to award the contract if and where considered necessary, to ensure that a part or whole of the contract is completed by the contractor. In case of non-performance, this guarantee could be encashed

(Added as per CSIR File No- 17/167/93 - Engg dated:- 05.02.1997)



#### ANNEXURE-"II"

#### \*\*\* SPECIAL CONDITIONS \*\*\*

- 1. These special conditions are meant to amplify the general specifications and general conditions of contract.
- 2. Work shall be done as per CPWD specification.
  - In case of any discrepancy the order of precedence in interpretation shall be as under.
  - (i) Schedule of quantities
  - (ii) General Conditions of Contract
  - (iii) Special Conditions, Additional Conditions & Additional Specifications.
  - (iv) Specialist's work, the specification of which are attached.
  - (v) Additional Specifications for Electrical works conduit laying, boxes, etc.
  - (vi) CPWD latest civil and Electrical works specifications.
  - (vii) I.S. Codes
  - (viii) International codes.
  - (ix) Best Engineering practice.

#### (Modified as per CSIR File No- 17/167/93 - Engg dated:- 05.02.1997)

- 3. STEEL
- (i) Steel to be issued as stated elsewhere in the contract shall be for reinforcement bars for RCC work. For all other items of steel work the contractor shall procure the same.
- (ii) Reinforcement bars for RCC work will be issued in available coils and straight lengths. No claim for straightening the bars whatsoever shall be entertained.
- (iii) Issue of steel of diameters above 10 mm dia will be regulated on sectional weight basis, weight being calculated with the help of the standard sectional weights as given in the CPWD latest specifications for conversion of length to weight. However, for bars up to and including 10 mm dia the following procedure shall be adopted. The average sectional weight for each diameter shall be arrived at from samples from each lot of steel received at site. The actual weight of steel issued shall be modified to take into account the variations between the actual and the standard co-efficient and the contractor's account will be debited by the cost of this modified quantity only.
- (iv) For theoretical consumption of steel reinforcement bars will be balanced diameter wise for the purpose of penal recovery as envisaged in the contract.

#### 4. CEMENT

- Cement to be issued as stated elsewhere in the contract shall be only for site work. For factory made products such as Pre-cast tiles, hollow concrete blocks. RCC pipes etc. cement shall not be issued. Contractor shall procure cement for site work. Use of PSC/PPC cement in non-structural work / small work or minor repair work in place of OPC cement (for non-availability).
- 5. Unless otherwise provided in the schedule of quantities the rates tendered by the contractor shall apply for all heights, lifts, leads and depths of the work and nothing extra shall be payable on this account.
- 6. The surplus excavated earth, which is beyond the requirement of the Employer's work, may be allowed by the Employer to be disposed off by the contractor on his own or sell the surplus excavated earth to private parties at the discretion but nothing extra will be paid for the cartage or disposal of surplus earth if the same is not required on any other work of the Employer.



#### ANNEXURE- "III"

#### Contractor's Site Superintendence


Staff to be employed by contractor on works. The contractor shall employ the following technical staff during execution of works: -

- a) For building and road works
  - (i) One Graduate Engineer, when the tendered cost of work exceeds Rs. 10 lakhs.
  - (ii) One specified Diploma holder (overseer) with experience not less than 3 years when the tendered cost of work exceeds Rs 5.0 lakhs but is less than Rs 10.0 lakhs.
  - (iii) One qualified Diploma holder when the tendered cost of work is more than Rs 2 lakhs but less than Rs 5 lakhs.
- (b) For sanitary and water supply works one qualified diploma holder with experience not less than 5 years, out of which one year should be in sanitary and water supply works when the tendered cost of work is more than Rs 50,000.
- (c) For Electrical Works:-
  - (i) One qualified graduate engineer possessing degree in Electrical Engineering from recognised university with an experience of not less than 3 years or a Diploma holder in Electrical Engineering with an experience of not less than seven years when the tendered cost of work is not less than Rs. 1.5 lakhs.
  - (ii) One qualified graduate engineer with 2 years experience or a Diploma holder in Electrical Engineering with an experience of not less than 3 years when the tendered cost of the work is more than Rs. 75 thousand but less than Rs 1.5 lakhs.
  - (iii) One Diploma holder in Electrical Engineering with experience of not less than 3 years when the tendered cost of work is more than Rs 37,000, but less than Rs 75,000.
  - (iii) One licensed supervisor with experience of not less than 3 years when the tendered cost of work is more than Rs 7,500, but less than Rs 37,000.
- (d) In case the contractor fails to employ the technical staff as aforesaid, he shall be liable to pay reasonable amount not exceeding the amount shown below for each month of default. These recoveries are subject to modifications from time to time by CSIR based on CPWD:-
  - (i) In case when a Graduate Engineer is to be employed ----- Rs 3,000/-
  - (ii) In case when a qualified Diploma holder is required to be employed ----- Rs 1,500/-
  - (iii) In case when a technical supervisor is to be employed ----- Rs 750/-

(Added as per CSIR File No- 17/167/93 - Engg dated: - 05.02.1997)

#### \*\*\* ADDITIONAL CONDITIONS \*\*\*

- 1. The structural and architectural drawings shall at all times be properly correlated before executing any work. However, in case of any discrepancy in the item given in the schedule of quantities appended with the tender and drawings relating to the relevant item the former shall prevail unless and otherwise given in writing by the Engineer.
- 2. No payment shall be made to the contractor for any damage caused by the rain, snowfall, floods or any other natural cause whatsoever during the execution of work. The damage to work will be made good by the contractor at his own cost, and no claim on this account shall be entertained.
- 3. All materials used shall be as per specifications and ISI marked whenever applicable ISI marking referred relate to latest BIS code as published by Bureau of Indian Standards upto 30 days before the date of opening the tender.
- 4. The contractor shall give a performance test of the entire installation(s) as per standard specifications and/or as directed by the Engineer and will also submit Test certificates as are required by Municipal/Electrical authority or any other authority. Nothing extra shall be payable for the same other than the fees paid to such authorities, which shall be reimbursed on production of receipts.





#### INDENTURE FOR SECURED ADVANCE

This	indenture	made	the _		day (hereinafter		contractor		
permit registe	ted assignees red under the	s) of the Societies	one part a	implies be deem and Council of Seation Act 1860 (had authorized offi	ed to include cientific & Inc ereinafter call	his heirs, dustrial Re ed the Em	executors, a esearch, New aployer which	administr v Delhi, h expres	rators and a Society
contract advance the sulference the	ctor has agrees on the second the	ed AND curity of a said agree ed for the curity of the (Rupeers of white orks sign of making e site of the	where with the such furties with the such fu	AS the contractor absolutely belong use in the const work (inclusive ver has agreed tailed in accounts contractor onther advance or a tworks. Now THIS ation of the sum her advances (if a the Employer and	r has applied to the cost of the cost of to advance of secured as dvances on the sind sind sind sind sind sind sind sind	o the Emple brought I brought I h of the waterials e to the the security and e security E WITHN  (the receip made to lows:-	bloyer that he by him to the works as he and labour a econtractority of materitached to the Employ of other material ESSETH the ot whereof the material as afore	the may be esite of has under the rials the erunninger has reterials be at in pur on or be the contrassaid the	e allowed the works ertaken to r charges) sum of quantities g account eserved to rought by rsuance of pefore the actor doth contractor
or any	further sun	n or sun	ns advanc	advance eed as aforesaid orks and for no or	shall be emp	loyed by	the contrac	as aforesa tor in o	aid and all r towards
by the kind a materia contrac	Employer as nd the contra als which ar	security actor will e not ab fies the B	are absolutely Employer	aid account of sec utely the contract are any application his own property against all claims	for's own prop n for or receive and free from	erty and f ve a furth om encum	ree from end er advance brances of	on the s any kin	ces of any ecurity of d and the
which materi	any further als) shall be	advance used by	or advar	id account of seconces may hereaft actor solely in the	er be made a e execution of	s aforesai	d (hereinaft	er called	d the said
watch, aforesa own re him. In deterior	safe custody aid the said responsibility in the event corrated in a greet the same w	and promaterials and shall of the sai reater de	tections ag shall rem l at all tim d material gree than	his own cost all gainst all risks of lain at the site of nes be open to ins ls or any part the is due to reasons s of like quality	the said mater the said work spection by the reof being sto able use and v	rials and the control of the Employed len, destroyer thereo	ne until used ontractor's of er or any off oyed or dam of the contra	I in const custody a ficer auth aged or ctor will	and on his norized by becoming forthwith
				any account be a				ork excep	ot with the
emplo	yer of the pri	ce payab	le to him	able in full when for the said works nts are made to	s under the ter	ms and pro	ovisions of t	he said a	agreement.

occasion of each such payment the Employer will be a liberty to make a recovery from the contractor's bill for such payment by deducting therefrom the value of the said materials then actually used in the construction

and in respect of which recovery has not been made previously, the value for this purpose being determined in respect of each description of materials as the rates at which the amounts of the advances made under these presents were calculated.

- 7. That if the contractor shall at any time make any default in the performance or observance in any respect of any of the terms of provisions of the said agreement or of these presents the total amount of the advance or advances that may still be owing to the Employer shall immediately on the happening of such default be repayable by the contractor to the Employer together with interest thereon at twelve percent per annum from the date of respective date of such advance or advances to the date of repayment and with all costs charges, damages and expenses incurred by the Employer in or for the recovery thereof or the enforcement of this security or otherwise by reason of the default of the contractor and the contractor hereby covenants and agrees with the Employer to repay and pay the same respectively to him accordingly.
- 8. That the contractor hereby charges all the said materials with the repayment to the Employer of the said sum of Rs. and any further sum or sums advanced as aforesaid and all costs charges, damages and expenses payable under these presents PROVIDED ALWAYS and it is hereby agreed and declared that notwithstanding anything in the said agreement and without prejudice to the powers contained therein if and whenever the covenant for payment and repayment herein before contained shall become enforceable and the money owing shall not be paid in accordance therewith the Employer may at any time thereafter adopt all or any of the following courses as he may deem best :-
- a) Seize and utilize the said materials or any part thereof in the completion of the said works on behalf of the contractor in accordance with the provisions in that behalf contained in the said agreement debiting the contractor with the actual cost of effecting such completion and amount due in respect of advances under these presents and crediting the contractor with the value of work done as if he had carried it out in accordance with said agreement and at the rates thereby provided. If the balance is against the contractor he is to pay same to the Employer on demand.
- b) Removed and sell by public auction the seized materials or any part thereof and out of the moneys arising from the sale retain all the sums aforesaid repayable or payable to the Employer under these presents and pay over the surplus (if any) to the contractor.
- c) Deduct all or any part of the moneys owing out of the security deposit or any sum due to the contractor under the said agreement.
- aid

	default on the part of th	e contractor as aforesaid interest on the said
In witness whereof the said the Employer have hereunto set their re	and and	by the order and under the direction of nd year first above written.
Signed sealed and delivered by the said contractor :	the meditages with its about	of manythic ord of letse of this planetin The tariff of the engine of the common or
Signature :	haudirtitik odin uste di Stori disa selatuak se	ente mili ja prasto ilimi – peranganja sitt auti ili 2 Biplioga antietise Serg busi elektriga alimi statu e 0 apronomi Dudg eta usiam hise usti binega in
Address:		Left each in a Test but referment was the superior area of the same maken in the definition of the proper than it the
By the order and direction	our mides to suppose	replace the rape with most materials of the Enquarer
of the Employer :  In the presence of		the year as tour lists steinston has see and to be your contract of the see and to be seen as the see as the seen as t
		or aldered as all Burks estimates with held in the net man of the processing the to provide the

SIGNATURE OF CONTRACTOR WITH DATE AND SEAL




#### PERFORMANCE GUARANTEE

To:

Council of Scientific & Industrial Research

C pi	In consideration of Council of Scientific & Industrial Research (hereinafter) called "The Council" aving awarded to M/s. a Company registered under the Companies ct, 1956 (hereinafter) called the Contractor a contract for (hereinafter) called the said contract under the terms and conditions of an Agreement dated. made between the Council and the contractor hereinafter called the said agreement and Council agreed to accept a Deed of Guarantee as herein rovided for Rs.
2.	We, Bank Ltd, (hereinafter) referred to as the 'bank' do hereby undertake to pay to the Council and amount not exceed Rs against any loss or damage caused to or suffered or would be caused to or suffered by the Council by reasons of any breach or breaches of any of the terms of conditions contained of the said agreement by the said contractor.
3.	We,Bank Ltd, do hereby undertake to pay the amounts due and payable under this Guarantee without any demur, merely on a demand from the Council by stating the amount claimed is due by way of loss or damage caused to or would be caused to or suffered by the Council for reasons of any breach by the said contractor(s) of any of the terms & conditions contained in the said Agreement or by reason of the contractor(s) failure to perform the said Agreement. Any such demand made on the Bank shall be conclusive as regards the amount due and payable by the Bank under this guarantee. However, our liability under this guarantee shall be restricted to an amount not exceeding Rs.
4.	This guarantee shall come into force immediately and continue in force and remain valid till six months after the completion of all works under the said contract which according to the terms of the said contract, should be Five Year from the probable date of completion viz, the day of If, however, the period of the completion of the works under the said contract is for any reason extended and upon such extension if the Contractor fails, before the terms of this guarantee expires, to furnish a fresh or renewed guarantee for the extended period the Bank shall pay to Council the said sum of Rs or such lesser sum as Council may demand.
5.	This guarantee shall not be affected by any change in the constitution of the Bank or of the Contractor.
6.	Notwithstanding anything hereinbefore contained, the liability of the Bank under this guarantee is restricted to Rs (Rupees only) and the
	restricted to Rs. (Rupees. only) and the guarantee shall remain in force till day of 20 unless claim or demand under this guarantee is presented to the Bank within six months from that date all the rights of Council under this guarantee shall be forfeited and the Bank shall be released and discharged from all obligations hereunder.

26





## CSIR - NATIONAL METALLURGICAL LABORATORY JAMSHEDPUR-831007 ENGINEERING DIVISION

## Name of Work : Annual Contract for Miscellaneous Civil Works in Main Lab, LSTF and Mg. Pilot Plant areas of NML for the year 2017-18 and 2018-19.

1	Demolishing cement concrete manually / by mechanical means upto floor V				(Rs.)
	level with necessary safety arrangement and scafolding including disposal of material as per direction of EIC 1:3:6 or richer mix.	cum	9.0		
2	Demolishing reinforced cemenrt concrete manually / by mechanical means upto floor V level with necessary safety arrangement and scafolding including stacking of steel bars and disposal of material as per direction of EIC.	cum	6.0	4	
3	Dismantling doors, windows shutters including chowkhats,architrave, holdfasts,etc. complete and stacking disposal of material as per direction of EIC.	each	6.0		
4	Taking out doors, windows shutters including stacking disposal of material as per direction of EIC.	each	12.0		
5	Demolishing Brick work in cement mortar manually / by mechanical means upto floor V level with necessary safety arrangement and scafolding including disposal of material as per direction of EIC.	cum	9.0		
6	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground as per direction of EIC.	sqm	160.0		
7	Diamontling CL pinos as directed				
		metre	120.0		
4	apto formit normital boto	mono	120.0		
b	Above 40mm nominal bore	metre	60.0		
8	Dismantling C.I. pipes including excavation and refilling trenches after taking out the pipes, manually/ by mechanical means breaking lead caulked joints, melting of lead and making into blocks including stacking of pipes & lead at site within 50 metre lead as per direction of EIC. Up to 150 mm dia.	metre	36.0		
9	Demolishing cement concrete flooring/ tiles for thickness of tiles above 25mm and upto 40mm manually / by mechanical means including disposal of material as per direction of EIC.	sqm	100.0		
10	Dismantling steel work in single section/ build up channels, angles,tees and flats including of stacking of material as per direction of EIC .	kg	600.0		
11	Dismantling of Aluminium Partitions, Gypsum board, Flase ceilling with staging and stagging the materials as directed complete.	sqm	110.0		
12	Supplying and filling plinth with sand under floor including watering,ramming,consolidating and dressing,complete.	cum	4.0		
9 10 11	Dismantling GI pipes as directed .  upto 40mm nominal bore  Above 40mm nominal bore  Dismantling C.I. pipes including excavation and refilling trenches after taking out the pipes, manually/ by mechanical means breaking lead caulked joints, melting of lead and making into blocks including stacking of pipes & lead at site within 50 metre lead as per direction of EIC. Up to 150 mm dia.  Demolishing cement concrete flooring/ tiles for thickness of tiles above 25mm and upto 40mm manually / by mechanical means including disposal of material as per direction of EIC.  Dismantling steel work in single section/ build up channels, angles, tees and flats including of stacking of material as per direction of EIC.  Dismantling of Aluminium Partitions, Gypsum board, Flase ceilling with staging and stagging the materials as directed complete.  Supplying and filling plinth with sand under floor including	metre sqm kg	36.0 100.0 600.0		



Item No.	Description of work	Unit	Quantity	Rate (Rs.)	Amount (Rs.)
13	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains(not exceding 1.5m in width or 10 sqm on plan) including dressing of sides and ramming of bottom including disposal of excavated soil as per direction of EIC.All kinds of soil.	cum.	31.0		,
14	Filling available excavated earth (excluding rock) in trenches, plinth, side of foundations etc. in layer not exceeding 20 ems in depth: consolidating each deposited layer by ramming and watering, lead upto 50m and lift uoto 1.5m.	cum.	16.0		
15	Supplying chemical emulsion in sealed containers including delivery as specified.				
	Chlorpyripos/ Lindance Emulsifiable concentrate of 20%	litre	20.0		
16	Diluting and injecting chemical emulsion for POST-CONSTRUCTIONAL anti- treatment (excluding the cost of chemical emulsion):				
а	Along external wall below concret or masonry apron using chemical emulsion @ 2.25 per linear metre including drilling and plugging holes etc.				
	With Chlorpyripos/ Lindance E.C. 20% with 1% concentration.	metre	90.0		
b	Treatment of soil under existing floors using chemical emulsion @ one litre per hole, 300 mm apart including drilling 12 mm diameter holes and plugging with cement mortar 1:2 (1 cement : 2 coarse sand) to match the existing floor:				
	With Chlorpyripos/ Lindance E.C. 20% with 1% concentration.	sqm	60.0		
С	Treatment at points of contract of wood work by chemical emulsion Chlorpyripos/ Lindance (in oil or kerosene based solution) @ 0.5 litres per hole by drilling 6 mm dia holes at downward angle of 45 degree at 150 mm centra to centre and sealing the same.	metre	160.0		
17	Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering - All work uoto plinth level. 1:2:4 (1cement:2coarse sand: 4graded stone aggregate 20mm nominal size.)	cum	6.0		
18	Providing and laying in position cement concrete of specified grade excluding the cost of centring and shuttering - All work upto plinth level. 1:3:6 (1cement:3coarse sand: 6 graded stone aggregate 20mm nominal size.)	cum	4.0		
19	RCC work in walls, beam suspended floors, lintels, shelves, chhajas upto floor five level excluding cost of centering, shuttering, finishing and reinforcement.				
	1:1.5:3 (1cement:1.5coarse sand: 3graded stone aggregate 20mm nominal size.)	cum	6.0		
20	Steel reinforcement for RCC work including straightening ,cutting bending ,placing in position and binding all complete above plinth level.Thermo-Mechanically Treated Bars	kg	790.0		
21	Centring and shuttering including strutting,propping,etc. and removal of				
21	form for:				

Item No.	Description of work	Unit	Quantity	Rate (Rs.)	Amount (Rs.)
b	Suspended floor ,roof ,landing , shelves, beams, columns balconies,etc.	sqm	30.0		
С	Weather Shade, chajjas,corbels,etc. including edges	sqm	26.0		
22	Brick work with common brunt clays F.P.S (non modular) brick of class designation 7.5 in super structure above plingth level upto floor V level in all shapes and sizein cement mortar 1:6 (1Cement: 6 Coarse Sand).	cum	6.0		
23	Half brick masonary with common burnt cly F.P.S (non Modular ) brick of class designation75 in super structure above plingth to floor V level. Cement mortar 1:4(1 cement : 4 coarse sand)	sqm	16.0		
24	Removing of building rubbish,malbo, debries, unserviceable dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50m initial lead for all leads including all lifts involved.	cum	60.0		
25	Structural Steel work in single section fixed with or without connecting plate including cutting, hoisting, fixing in position and applying approved steel primer all in complete.	kg	490.0		
26	Providing and fixing stainless steel (Grade 304) railing made of Hollow tubes, channels, plates, etc. including welding, grinding, buffing, polishing and making curvature (wherever required) and fitting the same with necessary stainless steel nuts and bolts complete, i/c fixing the railing with necessary accessories & stainless steel dash fasteners, stainless steel bolts, etc. of required size, on the top of the floor or the side of waist slab with suitable arrangement as per approval of EIC, (for payment purpose only weight of stainless steel members shall be considered excluding fixing accessories such as nuts, bolts, fasteners, etc.)	kg	40.0		
27	Providing & fixing 18 mm thick gang saw cut mirror polished Granite machine cut for kitchen plate form vanity counters, window sill, facias and similer location of requered size of approved shade, colour and texture laid over 20 mm thick base cement morter 1:4 with joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edge to give high gloss finish etc. complete at all levelsGranite of any any colour and shade. Area of Slab over 0.50 sqm	sqm	6.0		
28	Extra for fixing marble/granite stone over and above corresponding basic item, in facia and drops of width upto 150mm with epoxy resin based adhesive includina clean ina etc. complete	metre	13.0		
29	Cement concrete flooring 1 :2:4 finished with a floating coat of neat cement including cement slurry, but excluding the cost of nosing of steps etc. complete. 1 :2:4 with floating coat of neat cement punning 40mm thick.	sqm	30.0		
30	P/F 1st quality ceramic glazed tiles conforming to IS: 15622 of (thickness as per manufacturer)of approved make in all colours, shadess of any size as approved by Engineer in change in skirting, risers of stes and dados over 12mm thick bed of Cement morter 1:3 (1cement: 3 Coarse sand) and jointing with gray cement slurry @ 3.3 kg per sqm incl. pointing with white cament mixed with pigment of matching shade complete.				



Item No.	Description of work	Unit	Quantity	Rate (Rs.)	Amount (Rs.)
а	Size of Tiles 20x30 cm.	sqm	19.0		
b	Size of Tiles 60x30 cm.	sqm	19.0		
31	Providing laying Vitrified floor tiles in different size (thickness to be specified by manufacturer) with water absorption's less then 0.08% and conforming to IS 15622 of approved make in all colours and sheds, laid on 20mm thick bed of Cement morter 1:4 (1cement:4 Coarse sand) incl.grouting the joints with white cament mathchingpigments etc. complete. Size of Tile 600x600 mm.	sqm	30.0		
32	Providing laying <b>Vitrified tiles</b> in different size (thickness to be specified by manufacturer) with water absorption's less then 0.08% and conforming to IS 15622 of approved make in all colours and sheds, in skirting ,riser of steps ,over 12 mm thick bed of cement mortar 1:3 (1cement:3 coarse sand), including incl.grouting the joints with white cement matching,pigments etc. complete.Size of tiles 600x600mm	sqm	6.0		
33	Dismantaling roofing G.S. Sheet including ridges, hips, valleys and gutters etc and stacking the material within 50 metres lead.	sqm	60.0		
34	12mm cement plaster of mix. 1:4 (1cement : 4 coarse sand)	sqm	160.0		
35	15mm cement plaster on rough side. 1:4 (1cement : 4 coarse sand)	sqm	60.0		
36	6 mm cement plaster for ceiling of mix 1:3. (1cement : 3 fine sand)	sqm	20.0		
37	Neat cement punning.	sqm	40.0		
38	Finishing walls with waterproofing cement paint of required shade by scrapping and sand papering and preparing the surface smooth with staging: (one or more coat applied @ 2.20kg/10sqm) over priming coat of primer applied @ 0.80 lits/10 sqm complete including cost of Proiming coat.	sqm	900.0		
39	Providing and applying plaster of paris putty of 2mm thickness over plastered surface to prepare the surface even and smooth with staging complete.	sqm	110.0		
40	Applying one coat of water thinnable cement primer of approved brand and manufacture on wall surface by scrapping,sand papering and preparing the surface smooth.	sqm	760.0		
41	Applying priming coat with scrapping, Sand papering and preparing the surface smooth.				
а	ready mix zinc chromate yellow primer of approved brand and manufacture on steel work.	sqm	300.0		
b	with ready mix pink or grey primer of approved brand on wood work.	sqm	100.0		
42	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade. One or more coats on old work.	sqm	120.0		
43	Painting with synthetic enamel paint of approved brand and manufacturing of requred colour to give an even shade.New work-Two or more coat.	sqm	360.0		



Item No.	Description of work	Unit	Quantity	Rate (Rs.)	Amount (Rs.)
44	Renewing glass panes, with putty and nails wherever necessary including racking out the old putty. Float Glass panes of thickness 4mm.	sqm	22.0		
45	Renewal of old putty of glass panes (length).	metre	160.0		
46	White washing with lime to give an even shade (old work) two or more coats.	sqm	2900.0		
47	Distempering with oil bound washable distemper of approved brand and manufacture to give an even shade. New work (two or more coats).	sqm	450.0		
48	Distemper with oil bound washable distemper of approved brand and manufacture to give an even shade by scrapping, Sand papering and preparing the surface smooth with all lead & lift complete. Old work (one or more coats)	sqm	3600.0		
49	Finishing walls with Acrylic Smooth exterior paint of required shade by scrapping and sand papering and preparing the surface smooth by stagging with all lead & lift. Old Work (Two or more coat applied @ 1.67 ltr/10sqm) on existing cement paint surface.	sqm	260.0		
50	Removing white or colour wash by scrapping and sand papering and preparing the surface smooth inculding necessary repairs to scratches with all lead & lift ,etc. complete.	sqm	1000.0		
51	Removing dry or oil bound distemper ,water proofing cement paint and the like by scrapping , sand papering and prepaing the surface smooth including necessary repair to scratches etc. complete.	sqm	600.0		
52	Fixing chowkhats in existing openings in brick / RCC wall with dash fasteners/chemical fasteners of appropriate size (3 nos on each vertical member of door chowkhat and 2 nos on each vertical member of window chowkhats), including cost of dash fasteners/chemical fasteners.	each	4.0		
53	P/F oxidised M.S. Casement stays (straight peg type) with necessary screws etc. complete. 250mm weighing not less than 150 gms.	each	36.0		
54	Providing and fixing ISI marked oxidised M.S handle for steel window complete. 75 mm long	each	36.0		
55	P/F aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS:1868) transparent or dyed to required colour or shade, with necessary screws etc. complete. 200x10mm.	each	6.0		
56	Providing and fixing bright finished brass 100mm mortise latch and lock with 6 lever and a pair of lever handles with necessary screws etc. complete (best make of approved quality).	each	9.0		
57	P/F bright finished brass hanging type floor door stopper with necessary accessories and screws, etc. complete.	each	3.0		
58	Providing and fixing plywood 4mm thick one side decorative veneer conforming to IS 1328 (type -1) for plain lining / cladding with necessary screws, including priming coat on unexposed surface.	sqm	6.0		



Item No.	Description of work	Unit	Quantity	Rate (Rs.)	Amount (Rs.)
59	Providing and fixing IS: 12817 marked Stainless Steel Butt Hinges(heavy weight) with necessary SS screws,etc complete. 125 x64x2.50 mm	each	12.0	(100)	, , ,
60	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position. Sal wood.	cum	0.2		
61	Providing and fixing on wall face unplasticised Rigid PVC rain water conforming to IS-13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10mm gap for thermal expansion .Single Socket Pipes.(SUPREME / PRINCE MAKE).				
а	75 mm dia	metre	40.0		
b	110mm dia	metre	24.0		
62	Providing and fixing PVC moulded fittings/accessories for unplasticised Rigid PVC pipes rain water pipes conforming to IS:13592 type A including jointing with seal ring conforming to IS:5382 leaving 10mm gap for thermal expansion .  (a) Bend 87.5 degree				
	(i) 75 mm bend	each	6.0		
	(ii) 110 mm bend	each	6.0		
	(b) Single tee without door.				
	(i) 75 mm	each	6.0		
	(ii) 110 mm	each	6.0		
	(C) Shoe (Plain)				
	(i) 75 mm	each	4.0		
	(ii) 110 mm	each	4.0		
63	Providing & fixing anodised aluminium work for doors, windows, ventilators, cup Board shutter and partion with extruded built up standard tubular and other sections of approved make conforming to IS 733 and IS 1285, fixed with rawl plug and screws or with fixing clips, or with expension hold fasteners including necessary filling up of gaps at junction, at top, bottom and sides with required PVC/neropene felt etc. Aluminum section shall be smooth, rust free, sraight, mitred and jointed mechanically whereever required including cleat angle, aluminum snap beading for glazing/panelling, C.P brass /stainless steel screw, all complete as per architectural drawing and the direction of Engineer in Charge (Glazing and panelling to be paid for separately):				
а	For fixed Portion Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15)	kg	210.0		



Item No.	Description of work	Unit	Quantity	Rate (Rs.)	Amount (Rs.)
b	For shutter of doors,window & ventilators including providing and fixing hinges /pivot and making provision for fixing of fitting wherever required including the cost of EPDM rubber /neropane gasket required (Fittings shall be paid for separatly) Anodised Aluminium(anodised transparent or dyed to required shade according to IS:1868, Minimum anodic coating of grade AC 15)		40.0		
64	P/F powdered coated aluminium work(minimum thickness of powder coating 50 micron) consisting of tee/angle sections of approved make conforming to IS: 733 in frames of false celing including aluminium angle cleats with necessary C.P brass/ stainless steel sunk screws, aluminium perimeter angles fixed to wall with rawl plug @ 450mm centre to centre and fixing the frame work to G.I level adjusting hangers 6mm dia with necessary cadmiumplated machine screws all complete as per approved architectural drawing and direction of the engineer-in-charge.( Level adjusting hangers, ceiling cleats and expansion hold fasteners to be paid for separately).	kg	26.0		
65	Providing and fixing 6mm dia G.I. level adjusting hangers of rods (upto 1200mm length) fixed to roof slabs by means of ceiling cleats made out of G.I. flat 40x3 mm size 60mm long and expandable dash fastners of 12.5mm dia. and 50mm long complete as per direction of Engineer-in- charge.		40.0		
66	Providing and fixing bright finished 100mm brass lock for aluminium doors with necessary screws including necessary cutting and making good,etc. complete (best make of approved quality).	each	6.0		
67	Providing and fixing double action hydraulic floor spring of approved brand and manufacture (conforming to IS:6315), having brand logo embossed on the body/plate with double spring mechanism and door weight upto 125 kg, for doors including cost of cutting floors, embedding in floors as required and making good the same matching to the existing floor finishing and cover plates with brass pivot and single piece M.S. sheet outer box with slide plate, etc. complete as per the direction of Engineer-in- Charge. With stainless steel cover plate minimum 1.25mm thickness.	each	4.0		
68	Extra for providing and mixing water proofing material in cement concrete work in doses by weight of cement as per manufacturer's specification.	kg per 50 kg of cement	16.0		
69	Grading roof for water proofing treatment with cement concrete 1:2:4 (1cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size) with waterproofing material.		9.0		
70	Providing and laying six courses water proofing treatment with bitumen felt over roofs consisting of first ,third and fifth courses of blown bitumen 85/25 or 90/15 conforming to IS: 702 applied hot @ 1.45 kg per sqm of area for each course, second and forth course of roofing felt type 3 grade -I (hessian based self finished bitumen felt) manufactured by STP Ltd. and sixth and final course of stone grit 6mm and down size at 6.0 cdm per sqm incl. preparation of surface but exculding grading, complete.Bitumen felt (hessian base) type 3 grade I conforming to IS: 1322	sqm	140.0		
71	Providing and fixing white vitreous china water closet Hindware/similar approved make. Orissa pattern WC pan 580 x 440mm	each	1.0		



Item No.	Description of work	Unit	Quantity	Rate (Rs.)	Amount (Rs.)
72	Providing and fixing PVC Waste Pipe for sink or wash basin including PVC waste fittings complete.(Omco make)				
а	Flexible 32mm	each	6.0		
b	Flexible 40mm	each	11.0		-
73	Providing and fixing white vitreous china laboratory sink Hindware/similar approved including making all connections with cutting and making good the wall complete.(excluding the cost of fittings) Size 600x450x200mm	each	4.0		
74	Providing and fixing white vitreous china wash basin Hindware/similar approved make including making all connections.(excluding the cost of fittings).Flat back wash basin of size 550 x 400mm.	each	3.0		
75	Providing and fixing 600 x 450mm bevelled edge mirror of superior glass (of approved quality) complete with 6mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete.	each	5.0		
76	Providing and fixing 600 x 120 x 5mm glass shelf with edges rounded off supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40mm long screws, rawl plugs etc. complete.	each	4.0		
77	Providing and fixing toilet paper holder with 40mm long screws, rawl plugs etc. complete.C.P.brass.(Omco make heavy duty )	each	2.0		
78	Providing and fixing P.V.C low level flushing cistern with manually controlled device (handle lever) conforming to IS:7231 (Parryware/Hindware) with all fittings and fixtures(as directed) including dismentling old ones if required complete.10ltr capacity -white	each	3.0		
79	Providing & fixing C.P Bibcock of Omco make and as per specification conforming to IS:8931 : 15mm NB	each	12.0		
80	Providing & fixing un-plasticised PVC connection pipe with brass unions of approved quality.(Omco make heavy duty) 30cm length of 15mm NB.	each	9.0		
81	P/F white vitreous china pedestal type (EWC)WC Pan	each	2.0		
82	P/F GI union in GI pipe including cutting and threading the pipe and making long screws etc. Complete.				
а	15mm NB	each	12.0		
b	20mm NB	each	6.0		
С	25mm NB	each	12.0		
d	50mm NB	each	6.0		
83	Providing and fixing G.I. pipes complete with G.I. fittings and clamps i/c making good the walls etc. Concealed pipe, including painting with anti corrosive bitumastic paint, cutting chases and making good the wall:				



Item No.	Description of work	Unit	Quantity	Rate (Rs.)	Amount (Rs.)
а	15 mm dia NB	metre	26.0		
b	20 mm dia NB	metre	18.0		
84	Making connection of GI distribution branch with GI mains of following sizes by providing and fixing TEE/elbow/bend, including cutting and threading the pipe etc. complete.			æ	
а	25 to 40mm dia	each	6.0		
b	50 to 80mm dia	each	3.0		
85	P/F C.P brass long body bib cock of approved quality conforming to IS standards(omco make) and weighing not less than 690 gms 15mm nominal bore	each	4.0		
86	P/F C.P brass bib cock of approved quality conforming to IS standards(omco make): 15mm nominal bore	each	12.0		
87	P/F C.P brass stop cock (concealed) of standrad design and of approved make conforming toIS 8931(omco make) . 15mm nominal bore	each	4.0		
88	Providing and fixing solid plastic seat with lid for pedestal type W.C pan complete .White solid plastic seat with lid	each	3.0		
89	Providing & fixing aluminium extruded section body tubular type universal hydraulic door closer (Hafele make) embossed on the body, door weight upto 36 kg to 80 kg and door width from 701mm to 1000mm),with double speed adjustment with necessary accessories and screws etc.complete.	each	12.0		
90	P/F ISI marked flush door shutter non decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both face of shutters, (CRYSTAL / GREENPLY make): 30mm thick including ISI marked Stainless steel butt hinge with necessary screws.	sqm	12.0		
91	Dismantling basins, urinals, sink, water closet, flushing cistern of any size with cutting and making good the wall including stacking of useful materials in store and disposal of unserviceable materials as directed by EIC.	each	9.0		
92	Providing and fixing 4" C.P grating	each	4.0		
93	Providing and fixing C.P. brass towel rail complete with brackets fixed to wooden cleats with C.P. brass screws with concealed fitting arrangements of approved quality colour .600mm long towel rail with total length of 645mm, width 78mm, weighing not less than 190 gms.	each	4.0		
94	Providing and fixing C.P.brass waste coupling (32mm to 40mm) for wash basin/ kit. Sink of approved quality and colour.Waste coupling 38mm of 83mm length and 77mm breadth, weighing not less than 45 gms.	each	6.0		

SIGNATURE OF CONTRACTOR WITH DATE AND SEAL Page 9 of 14



Item No.	Description of work	Unit	Quantity	Rate (Rs.)	Amount (Rs.)
95	Providing & fixing bronze gate valve (Screwad type) of approved quality (Zoloto make), including removing the existing damaged one if required.				
а	15mm NB	each	4.0		
b	20mm NB	each	2.0		
С	25mm NB	each	4.0		
d	50mm NB	each	4.0		
96	Providing & fixing Zoloto stainless steel Ball Valve, Class - 150, Screwed type (ZOLOTO, Art N0- 1080A) for CO gas line, including removing the existing damaged one if required.				
а	15mm NB	each	10.0		
b	20mm NB	each	4.0		
С	25mm NB	each	9.0		
d	40mm NB	each	4.0		
е	50mm NB	each	6.0		
97	Providing and fixing G.I. Pipes ( JINDAL make, Class-C), complete with G.I. fittings and clamps i/c cutting and making good the wall etc.for Extermnal work.				
а	15 mm dia NB	metre	60.0		
b	25mm dia NB	metre	50.0		
С	50 mm dia NB	metre	24.0		
d	100 mm dia NB	metre	20.0		
е	150 mm dia NB	metre	12.0		
98	Providing & fixing GI Serewed type Flange in GI line for CO gas line, including removing the existing damaged one if required.				
	100 mm dia	each	20.0		
99	Providing & Fixing C.P Two way bib cock (Omco Make) 15 mm dia .	each	2.0		
100	Replacing Handfaucet of approved quality (Omco-bidet spray dual flow) with fitting and clamping and cutting making good wall-15 mm inlet.	each	4.0		
101	Providing and fixing C.P.Bottle trap (Jaquar make) including all fittings & fixtures for wash basin, Sink and urinal of approved quality and colour.Bottle trap 38mm single piece moulded with height of 270mm, effective length of tail pipe 260mm from the centre of the waste coupling 77mm breadth with 25mm minimum water seal, weighing not less than 263 gms.	each	6.0		
102	Providing and fixing decorative Sunmica, 1.00 mm thickness (GREENLAM) on cup board shutter,table top with adesive including the cost of adesive etc.	sqm	5.0		



Item No.	Description of work	Unit	Quantity	Rate (Rs.)	Amount (Rs.)
103	Providing and fixing 4mm commercial ply over damaged flush door/block board.complete as directed by EIC.	sqm	6.0		
104	Providing & Fixing marked steel glazed doors ,windows and ventilators of standerd rolled steel section , joints mitred and welded with 15x3mm lugs 10cm long , embeded in cement concrete blocks15x10x10cm of 1:3:6 (icement :3 coarse sand: 6 graded stone aggregate 20 mm nominal size ) or with wooden plugs and screw or rawl plugs and screw or with fixing clips or with bolts and nuts as required and including applying a priming coats of approved steel primer ;excluding the cost of metal beading and other fitting except necessary hinges or pivots as required	kg	60.0		
105	9.00 mm thick square edge PVC Laminated Gypsum Tiles (Armstrong, India Gypsum make) of size 595X595mm, made of Gypsum plaster board, manufactured from natural gypsum and laminated with white 0.16 mm thick fire retardant PVC film on the face side and 12 micron metalized polyester on the back side with all edges seals with face side PVC film which goes around and wraps the edges and is bounded to the edges and the back side metalized polyester film so as to make the tile a completely sealed unit.	sqm	36.0		
106	P/F glazing in aluminium door , window, ventilator, cupboard shutter and partion etc. with pvc/ neropan gasket etc. complete as per mm Thick Glass Pans all complete as per architectural drawings and the direction of Engineer -in - Charge. (Glazing and paneling to be paid for separatly.)  With float glass pans 5mm thickness.		20.0		
107	P/F 12mm thick prelaminated three layer medium density particle board , interior work, Pre-laminated particle on side and balancing lamination on other side.	sqm	24.0		
108	P/F chicken mesh on the masonary or RCC work as per the direction. The chicken mesh should be fixed with nails/screws to the wall or RCC.	sqm	26.0		
109	Applying wall putty to get uniform and smooth walls of appeoved brand and instruction of Engineer-in-charge.	kg	36.0		
110	Providing and fixing of vertical blinds in approved design, colour & texture to window with all accessories. (Measured opening area for payment) Vertical blinds (Local Brand)		24.0		
111	Repair and ease the window to open and fix the window properly icluding scraping etc as required.	each	30.0		
112	Fixing anodised aluminium work for doors, windows, ventilators, cup Board shutter and partision with extruded built up standard tubular and other sections, fixed with rawl plug and screws or with fixing clips, or with expension hold fasteners including necessary filling up of gaps at junction, at top, bottom and sides with required PVC/neropene felt etc. including cleat angle, aluminum snap beading for glazing/panelling, C.P brass /stainless steel screw, including the cost of PVC/neoprene gasket required all complete as per architectural drawing and the direction of Engineer in Charge. (Aluminium section to supplied by department)	sqm	90.0		
113	Providing & fixing PVC pipe including fittings complete. 50 mm dia	metre	24.0		





Item No.	Description of work	Unit	Quantity	Rate (Rs.)	Amount (Rs.)
114	Providing & fixing PVC flooring, 2mm thik of approved make in all colours, shades as approved by Engineer in change over flooring with specified adhesive complete.	sqm	10.0		
115	Providing and fixing roller in Aluminiun Cupboard Shutter.	each	16.0		
116	Providing and fixing lock in Aluminiun Cupboard Shutter.	each	20.0		
117	Providing and fixing brass roller in Aluminiun sliding door.	each	4.0		183
118	Providing & fixing white vitreous china flat back Urinal with fittings including unions and clamps (all in C.P. brass) with waste pipe, waste fitting and other couplings in C.P. brass and cutting, making good walls and floors.(Urinal cock will be paid saperately.) HIND WARE make, code-60002, size(HxWxP) -59cm x 39cmx 37.5cm. colour: Starwhite)	each	1.0		
119	Providing and fixing only CP glass for Bottle trap for wash basin, Sink and urinal as directed.	each	6.0		
120	Providing and fixing 15mm dia. C.P. nipple of				-
а	50mm length	each	6.0		
b	100mm length	each	4.0		
С	150mm length	each	2.0		
121	Providing & fixing SENSO KIT (Hindware make) for Senso china Urinals.	each	4.0		
122	Providing and fixing Duracell Battery (1.5V) for Senso Urinal complete.	each	60.0		
123	Cleaning of water tanks, water sumps, storages, overhead water towers with dewatering, removing sludge, algae and sticky deposition and rubbing on surfaces: walls, floor, roof of tank to remove algae formation, mud depositions and mineral depositions on the surface. Removal of all dirt, mud and depositions, applying antibacterial materials for removal of bacteria and fungie, to make the tank healthy and hygenic. All the above includes all materials, disinfectants labour, tools & tackles, safety measures with all heights and leads complete as ditected.				
a)	Cleaning tank / reservoir capacity upto 1500 litres .	each	28.0		
b)	Cleaning tank / reservoir capacity from 1501 to 2000 litres .	each	8.0		
c)	Cleaning tank / reservoir capacity from 2001 to 5000 litres .	each	8.0		
d)	Cleaning tank / reservoir capacity from 5001 to 20,000 litres .	each	3.0		
e)	Cleaning tank / reservoir capacity from 40,001 to 50,000 litres .	each	7.0		



Item No.	Description of work	Unit	Quantity	Rate (Rs.)	Amount (Rs.)
f)	Cleaning tank / reservoir capacity from 1,00,000 to 1,50,000 litres .	each	2.0		
g)	Cleaning tank / reservoir capacity from 1,50,001 to 3,00,000 litres .	each	1.0		
124	P/L vitrified Heavy Duty floor tilles ( Somany make, DURASTONE) of 300 x 300 mm (thickness to be specified by the manufacturer) with water absorption's less than 0.08% and conforming to IS:15622 of approved make in all colours and shades ,laid on 20mm thk. cement mortar 1:4 (1 cement : 4 coarse sand) including grouting the joints with white cement mixed with matching pigments etc. in complete.	sqm	12.0		
125	Operation of 13 nos Pumps and filter units in NML Main Campus and Magnesium Pilot Plant daily including supply of all labours [01 pump operator(Semiskilled) and 01 helper(unskilled) for each shift in NML Main Campus and 01 pump operator(Semiskilled) for general shift in Mg. Pilot Plant ( total 02 shifts/as per requirements in one day in NML main campus and 01 shifts in one day in Mg. Pilot Plant ) i.e. total 05 mandays in a day for both areas], for daily operation of pumps ( 07 days in a week) for water supply as directed, daily back washing of filters, supplying and filling all dozing materials, disinfactant as per requirement of the plant, including providing water test report once in a month (for TSS & Fe) both water samples before and after filtration, replacement of gland packing, washers and lubricating etc as and when required, (Alum, Bleaching powder to paid separately and water testing done by department)	Month	12.0		
100					
126	Supplying of materials with approve quality as directed.	1	200.0		
<u>    i                                </u>	Bleaching powder	kg	300.0		
ii	Alum	kg	600.0		
127	Providing & fixing only C.P. Connecting pipe to urinal Spreader (rate without spreader).	each	6.0		
	15mm NB, 300mm long				
128	Providing and fixing C.P.Pillar Cock of approved quality (Omco make). 15mm NB.	each	6.0		
129	Supply of Nylon Washer For 15 mm Bib Cock & Piller Cock	each	100.0		
130	Supply of Cistern Internal Fitting of PVC Low Level Flushing Cistern.	each	2.0		
131	Supply of 15 mm Brass spindle for CP brass Bib Cock & Conceal Stop Cock/Piller Cock. Omco make	each	24.0		
132	Providing & fixing M.S. net (20X50 mm) wire thickness 3.5mm hight upto floor V level by belding in M.S.angle up to 25 m. ( MS angle will be paid saperately)	sqm	9.0		

Item No.	Description of work	Unit	Quantity	Rate (Rs.)	Amount (Rs.)
133	Providing & laying in position bitumen hot sealing compound for expansion joint in concrete pavement , using grade 'A' sealing compound.	metre	960.0		
134	Providing and fixing cast iron sluice valve flanged type (ZOLOTO make, Art No- 1079A) in existing pipe line complete including dismentling of existing valve as directed.250mm NB	1	1.0		
	Total=				



# CSIR - NATIONAL METALLURGICAL LABORATORY (COUNCIL OF SCIENTIFIC & INDUSTRIAL RESEARCH) JAMSHEDPUR-831007 ENGINEERING DIVISION

Head/wsmbano 24.10.2

#### LIST OF APPROVED MATERIALS AS ON OCTOBER-2016

L NO.	MATERIALS	MANUFACTURER & MAKE
1	CEMENT	
	(A) WHITE	BIRLA PLUS. J.K WHITE
	(B) PORTLAND	Grade 53 OPC of ULTRA TECH, ASSOCIATE CEMENT COMPANY, LAFARGE, JAYPEE.
2	STEEL	TISCO, SAIL, JSW, ISI APPROVED MANUFECTURE GRADE.
3	CERAMIC TILES	KAJARIA, NITCO, ORIENT, SOMANY, JHONSON,
4	WATER PROOFING COMPOUND	Dr FIXIT, PIDILITE, SIKA , CICO, IMPERMO OR APPROVED GRADE.
5	DISTEMPER (1st QUALITY)	BERGER, NEROLAC, ASIAN, ICI DULUX.
6	RED OXIDE, ZINC CHROMATE	BERGER, NEROLAC, ASIAN, ICI DULUX.
7	WATERPROOFING CEMENT PAINT	BERGER, ICI DULUX, SNOWCEM
8	WALL PUTTY	BERGER, NEROLAC, ASIAN, ICI DULUX, SNOWCEM
9	CEMENT PRIMER	BERGER, NEROLAC, ASIAN, ICI DULUX, SNOWCEM
10	ACRYLIC EMULSION	BERGER, NEROLAC, ASIAN, ICI DULUX, SNOWCEM
11	PREMIUM ACRYLIC EMULSION	BERGER, NEROLAC, ASIAN, ICI DULUX, SNOWCEM
12	SYMTHETIC ENAMEL PAINT (1ST QUALITY	BERGER, NEROLAC, ASIAN, ICI DULUX
13	FLUSH DOORS ( any type)	ISI MARKED CRYSTAL, GREEN PLY ,CENTUARY.
14	ALUMINIUM EXTRUSSION	INDAL , HINDAL , JINDAL
15	HARDWARE	
		M/s METAKO, M/s ALLEN, M/s CROWN, M/s AJANTA
	(A) ALUMINIUM	STEEL Pvt. Ltd. Or EQUIVALENT WITH ISI MARK.
	(B) LOCKS	M/s GODREJ AND M/s LINK.
	(C) FLOOR SPRINGS (D) SCREWS	M/s EVERITE, M/s Garnice, M/s DORMA,
_	(E) HYDRAULIC DOOR CLOSER	M/s NETTLE FOLD, G.K.W.& N.D SCREWS
	(E) ITI DRAULIC DOOR CLOSER	M/s HAFELE INDIA Pvt. Ltd.& M/s GODREJ ,
16	GLAZING	M/s FLOAT GLASS INDIA LIMITED, M/s MODI FLOTE M/s GURIND INDIA (P) Ltd, M/s CONTINENTAL FLOA GLASS Ltd, M/s GUJRAT GUARDIAN Ltd.
17	BLOCK BOARD, ANY PLY BOARD	M/s RAMA WOOD & GENERAL INDUSTRIES Ltd, M/s GREEN PLY INDUSTRIES Ltd, M/s KITPLY INDUSTRIES Ltd, M/s ARUNACHAL FOREST PRODUCTS Ltd, M/S CENTURY PLY BOARDS (I) LTD

Jun 129/10/2016

ol I	VO.	MATERIALS	MANUFACTURER & MAKE
,	18	PHENOL BONDED EXTERIOR GRADE TEAK PARTICLE BOARD	M/s NOVAPAN INDUSTRIES Ltd, M/s BOMBAY BURMAH TRADING CORPORATION Ltd.
	19	PRELAMINATED PARTICAL BOARD PHENOL BONDED EXTERIOR GRADE PARTICLE BOARD WITH ISI MARK	M/s KITPLY INDUSTRIES Ltd, M/s NOVAPAN INDUSTRIES Ltd, M/s BHUTAN BOARD, M/s BAKELITE HYLAM Ltd.
2	20	PLAIN/ PRELAMINATED PARTICLE BOARD, PHENOL BONDED EXTERIOR GRADE PARTICLE BOARD, MDF BOARD.	M/s ANDAMAN TIMBER INDUSTRIES, M/s MANGALAM TIMBER PRODUCTS Ltd, M/S KITPLY INDUSTRIES Ltd, M/s NUCHEM Ltd.
- 1	21	FALSE CEILING	M/s ARMSTRONG WORLD INDUSTRIES Ltd, M/s INDIA GYPSUM Ltd.
- ;	22	LAMINATE	M/s GREEMLAM, M/s MERINO.
	23	CISTERN	
		(A) LOWDOWN PVC CISTERN	PARRYWARE/ HINDWARE/ SEABIRD.
		(B) LOWDOWN VITEROUS CHINA CISTERN VITEROUS CHINA	PARRYWARE/ HINDWARE/ SEABIRD.
:	24	WASH BASIN / LABORATORY SINK	PARRYWARE/ HINDWARE/ SEABIRD.
	25	WATER CLOSET/FOOT REST	
		A) EUROPEAN TYPE	PARRYWARE/ HINDWARE/ SEABIRD.
		B) INDIAN TYPE	PARRYWARE/ HINDWARE/ SEABIRD.
		C) ORISSA TYPE	PARRYWARE/ HINDWARE/ SEABIRD.
	26	BRASS BIB COCK	LUSTER/ LEADER/ BAJAJ/JAQUAR
:	27	C.P BRASS BIB COCK	OMCO/JAQUAR/JINDAL
	28	BRASS STOP COCK	LUSTER/ LEADER/ BAJAJ
:	29	C.P BRASS STOP COCK	OMCO/JAQUAR/JINDAL
- ;	30	C.P PILLAR COCK	OMCO/JAQUAR /JINDAL
	31	FERRULE BRASS	LEADER / ZOLOTA
	32	GALVANISED IRON PIPES AND FITTINGS	TATA/ SAIL/ JINDAL.
	33	CAST IRON PIPES AND FITTINGS	AS APPROVED BY ISI.
	34	VALVES	
		(A) GUN METAL VALVES	LEADER/ ZOLOTA
		(B) BRASS VALVES	LEADER/ ZOLOTA
		(C) CAST IRON VALVES	LEADER/ ZOLOTA
		(D) STAINLESS STEEL VALVES	LEADER/ ZOLOTA
	0.5	5) (0 5) 55 - 0 5 - 5	24
	35	PVC PIPE & FITTING	PRINCE / SUPREME Head / WSM
		DUCTILE IRON PIPE	

24/10/2016