Phone: 0657-234	गिक अनुसंधान परिषद) / (Coun जमशेदपुर- 831007 / BURMAM 5129/132 / Website: www.nml	icil of Scient	HEDPUR - 831 007	search)			
नं./No. NML/PUR/NM/04/22			and a set		गंक/Date :	18-04-2022	
	वा.र.अ. क्रय आदेश	/ AMC C	ORDER				
rom: The Director	edatri Geel min	net is balled		- 0	यर/स्पीड प	गेरत	
CSIR-National Metallu	ni maha wawa adam in	कार	414415 4	114-C			
Jamshedpur - 831007							
Го:		wherein all fo	vitas andia ani oliv				
M/s Bruker India Scientific P		largovindii	in hits bank given				
Jnit No. 609, 6th floor, West Wing Marg, Andheri Ghatkopar Road, An			userv sboot an usercog versend				
Phone: 022-61128809 -8811, 1			ating to any medici minor 6 Corrollaria				
Email: Srirup.chakraborty@bruk	ker.com		rens energioure e				
GSTIN 27AAACB2346K1ZR			sa ne ba homen				
		Approval	laintananaa C	ontract			
	र्षिक रखरखाव अनुबंध/						
सन्दर्भ/Reference No. : BRI	UKER/21/ER/WD-XRF-73	3/AMC	Date	22-12-2021			
	03-2022 & 29-03-2022						
Dear Sir/s							
आपको इसके द्वारा सूचित किया के अनुसार प्रदान किया जाता है you as per the details and terms	/ You are hereby inform and conditions mention	ned that th	e Annual Maint	enance Contra	ct has bee	en awarded to	
Non Comprehensive Annual Maintenance Contract of the	S8 Tiger WD XRF System Model : XRF S8 Tiger						
Equipment	SI No. 205951						
		Scope of work : a) Vacuum pump oil and mist eliminator will be replaced from the custome's stock if required.					
	b) Dust filters will be cleaned.c) The complete electronic rack and its components will be cleaned.						
						i required.	
		ic rack and it	s components wil	be cleaned.			
	c) The complete electronid) The software will be chfiles and data files etc.	ic rack and it necked for in	ts components wil fection / corruption	be cleaned. on. Back up will be			
	c) The complete electroni d) The software will be ch	ic rack and it necked for in pe cleaned a	s components wil fection / corruption nd lubricated if re-	be cleaned. on. Back up will be quired.	e made for	all configuration	
	 c) The complete electroni d) The software will be ch files and data files etc. e) Mechanical parts will b f) All line library elements required. 	ic rack and it necked for in pe cleaned a s will be chec	ts components wil fection / corruption nd lubricated if re- sked for shift and s	be cleaned. on. Back up will be quired.	e made for	all configuration	
	 c) The complete electroni d) The software will be ch files and data files etc. e) Mechanical parts will b f) All line library elements 	ic rack and it necked for in pe cleaned a s will be chec will be clear	ts components wil fection / corruption nd lubricated if re- sked for shift and s	be cleaned. on. Back up will be quired.	e made for	all configuration	
	 c) The complete electroni d) The software will be ch files and data files etc. e) Mechanical parts will b f) All line library elements required. g) The Generator section h) Pneumatic circuit will b i) The spectrometer cham 	ic rack and it necked for in be cleaned a s will be chec will be clear be checked. nber will be c	ts components will fection / corruption and lubricated if re- sked for shift and s hed and serviced.	be cleaned. on. Back up will be quired. pectrometer align	e made for ment will c	all configuration carried out if	
	 c) The complete electroni d) The software will be ch files and data files etc. e) Mechanical parts will be f) All line library elements required. g) The Generator section h) Pneumatic circuit will be i) The spectrometer charmed in the spectrometer charmed in the spectrometer charmed out, if result fourther the spectrometer for the spectrometer of the spectrometer charmed out, if result fourther the spectrometer for the spectrometer of the spectrometer charmed out, if result fourther the spectrometer of the spectrometer	ic rack and it necked for in be cleaned a swill be check will be clear be checked. nber will be c accuracy wi d out of spec	ts components will fection / corruption and lubricated if re- sked for shift and s med and serviced. Sleaned. Il be checked with bified limit given by	be cleaned. on. Back up will be quired. pectrometer align STG standard sa gruker-AXS facto	e made for ment will d mple and r pry.	all configuration carried out if recalibration will be	
	 c) The complete electroni d) The software will be ch files and data files etc. e) Mechanical parts will be f) All line library elements required. g) The Generator section h) Pneumatic circuit will be i) The spectrometer chammed by Standard-less programmed carried out, if result found with the complexity of the section of the sec	ic rack and it necked for in be cleaned a s will be check will be clear be checked. nber will be c accuracy wi d out of spec d foil will be	ts components will fection / corruption and lubricated if re- sked for shift and s med and serviced. Sleaned. Il be checked with bified limit given by	be cleaned. on. Back up will be quired. pectrometer align STG standard sa gruker-AXS facto	e made for ment will d mple and r pry.	all configuration carried out if recalibration will be	
Quantity	 c) The complete electroni d) The software will be ch files and data files etc. e) Mechanical parts will be f) All line library elements required. g) The Generator section h) Pneumatic circuit will be i) The spectrometer charmed in the spectrometer charmed in the spectrometer charmed out, if result fourther the spectrometer for the spectrometer of the spectrometer charmed out, if result fourther the spectrometer for the spectrometer of the spectrometer charmed out, if result fourther the spectrometer of the spectrometer	ic rack and it necked for in be cleaned a s will be check will be clear be checked. nber will be c accuracy wi d out of spec d foil will be	ts components will fection / corruption and lubricated if re- sked for shift and s med and serviced. Sleaned. Il be checked with bified limit given by	be cleaned. on. Back up will be quired. pectrometer align STG standard sa gruker-AXS facto	e made for ment will d mple and r pry.	all configuration carried out if recalibration will be	
Quantity Period	 c) The complete electroni d) The software will be ch files and data files etc. e) Mechanical parts will b f) All line library elements required. g) The Generator section h) Pneumatic circuit will b i) The spectrometer charr j) Standard-less program carried out, if result found k) All worn-out O-rings and water will be added if regularies 	ic rack and it necked for in be cleaned a s will be check will be clear be checked. nber will be c accuracy wi d out of spec d foil will be <u>suired.</u> Unit/s	ts components will fection / corruption and lubricated if re- sked for shift and s med and serviced. Sleaned. Il be checked with bified limit given by	be cleaned. on. Back up will be quired. pectrometer align STG standard sa gruker-AXS facto	e made for ment will d mple and r pry.	all configuration carried out if recalibration will be	
	 c) The complete electroni d) The software will be ch files and data files etc. e) Mechanical parts will be f) All line library elements required. g) The Generator section h) Pneumatic circuit will be i) The spectrometer charm j) Standard-less program carried out, if result found k) All worn-out O-rings and water will be added if required 	ic rack and it necked for in be cleaned a swill be chear be checked. nber will be c accuracy wi d out of spea d foil will be <u>quired.</u> Unit/s	ts components will fection / corruption and lubricated if re- tacked for shift and s and and serviced. I be checked with cified limit given by replaced. Internal	be cleaned. on. Back up will be quired. pectrometer align STG standard sa gruker-AXS facto	e made for ment will d mple and r pry.	all configuration carried out if recalibration will be	
Period	 c) The complete electroni d) The software will be ch files and data files etc. e) Mechanical parts will be f) All line library elements required. g) The Generator section h) Pneumatic circuit will be i) The spectrometer charr j) Standard-less program carried out, if result found k) All worn-out O-rings and water will be added if read 1 18-04-2022 	ic rack and it necked for in be cleaned a s will be check will be clear be checked. nber will be c accuracy wi d out of spec d foil will be <u>suired.</u> Unit/s	ts components will fection / corruption and lubricated if re- sked for shift and s hed and serviced. It be checked with cified limit given by replaced. Internal 17-04-2023	be cleaned. on. Back up will be quired. pectrometer align STG standard sa gruker-AXS facto	e made for ment will d mple and r pry.	all configuration carried out if recalibration will be	
Period Duration Contract Value (Total) (₹)	 c) The complete electroni d) The software will be ch files and data files etc. e) Mechanical parts will be f) All line library elements required. g) The Generator section h) Pneumatic circuit will be i) The spectrometer champion carried out, if result found k) All worn-out O-rings and water will be added if red 18-04-2022 	ic rack and it necked for in be cleaned a s will be check will be clear be checked. nber will be c accuracy wi d out of spec d foil will be <u>quired.</u> Unit/s to year/s	ts components will fection / corruption and lubricated if re- sked for shift and s ned and serviced. I be checked with bified limit given by replaced. Internal 17-04-2023 GST	be cleaned. on. Back up will be quired. pectrometer align STG standard sa gruker-AXS facto	e made for ment will d mple and r ory. el will be ch	all configuration carried out if recalibration will be	
Period Duration	 c) The complete electroni d) The software will be ch files and data files etc. e) Mechanical parts will be f) All line library elements required. g) The Generator section h) Pneumatic circuit will be i) The spectrometer charr j) Standard-less program carried out, if result found k) All worn-out O-rings and water will be added if red 1 18-04-2022 1 1,89,668.00 	ic rack and it necked for in be cleaned a swill be check will be clear be checked. nber will be c accuracy wi d out of spec d foil will be <u>auired.</u> Unit/s to year/s plus 18% 02 01	ts components will fection / corruption and lubricated if re- sked for shift and s hed and serviced. It be checked with cified limit given by replaced. Internal 17-04-2023 GST No./s (at equal No/s (As and y	be cleaned. on. Back up will be quired. pectrometer align STG standard sa Bruker-AXS facto cooling water lev	e made for mment will o mple and r ory. el will be ch vals) t no extra	all configuration carried out if recalibration will be necked and DM	

and the second			
	Т	he Work Order will be gover	rned by the Terms & Conditions as mentioned below:
1	The copies of service re Invoices, while submittin	ports of Preventive / Emergency s g for payment.	ervices duly signed by the user should be submitted to Purchase Section along with
2	On Emergency Breakdo	wn, the job should be attended wit	thin <u>Two</u> days
3	Down time should not be		
4	The old spare parts, repl	aced on chargeable basis should	be returned to NML Store.
5	Any spares and consum	ables required has to be provided	by the contract holder i.e. NML on chargeable basis.
6		ource) & IT (Income Tax)will be o	
7			any outside agency including their franchisee.
8	Settlement of Disputes:		
	(i) The Purchaser and th between them under or i(ii) If, after twenty-one (2)	n connection with the Contract. 1) days, the parties have failed to	to resolve amicably by direct informal negotiation any disagreement or dispute arising resolve their dispute or difference by such mutual consultation, then either the ty of its intention to commence arbitration, as hereinafter provided, as to the matter in
	dispute, and no arbitration a notice of intention to con- be commenced prior to con-	on in respect of this matter may be commence arbitration has been giv or after delivery of the Goods under	e commenced unless such notice is given. Any dispute or difference in respect of whic en in accordance with this Clause shall be finally settled by arbitration. Arbitration ma er the Contract.
	the Purchaser and a dom settled in accordance with under and any statutory Delhi International Arbitr	nestic supplier relating to any mat th the Indian Arbitration & Concilia	
	"ARBITRATION 1. In the event of any que which is specially provide Arbitrator to adjudicate th	ed under this agreement) the sam	under the agreement or in connection herewith (except as to matters the decision of e shall be referred to the Delhi International Arbitration Centre for appointment of
			the parties. The Arbitrator may give interim award(s) and /or directions, as may be
	time to time being in force	e shall be deemed to apply to the	prociliation act, 1996 and the rules made hereunder and any modification thereof from Arbitration proceedings under this clause." eign Supplier, the dispute shall be settled by arbitration In accordance with provision c
	sub-clause (a) above. Bu (United Nations Commis	at if this is not acceptable to the su sion on International Trade Law)	upplier then the dispute shall be settled in accordance with provisions of UNCITRAL
	(v) Notwithstanding any	reference to arbitration herein,	bligations under the Contract unless they otherwise agree; and
		bay the Supplier any monies due t	
9			ordance with the laws of the Union of India and all disputes shall be subject to the
	jurisdiction of Jamshedp		
	The Director, CSIR-NML	reserves the right to accept or rej	ject any bids or accept all tenders either in part or in full or to split the order, or to ann
		out assigning any reason.	
		Il be at liberty to terminate the mai	intenance contract at any time, by giving a notice of 60(sixty) days to the vendor
10	(Service Provider).	ing the up time commitment for se	ervice visits shall be 0.5% of AMC charges per week for which the System is down. T
			all be final. The maximum amount of penalty shall be 5%.
11	For making payments ple	ease submit your Invoice duly pre-	-receipted over a Revenue stamp of Re. 1/ The period of AMC and the period of cla Tax to be deducted at source (as per Govt. norms) may please be reflected in yc
	invoice along with your P	AN and GST Number.	
		ng Account Number. ii) Type of	
	iii) Name of Account I	Holder. iv) Name of Bank & Br	anch. v) IFSC Code No. vi) MICR No.
			Jerey 11 18.04.2
			18.04.
			(Ramena Raj
			Section Officer(S&
			For & on behalf of Council of Scientific and Industrial Resear
Copy to:	/प्रतितिपि		
copy to			- Video
Head/Inde	ntor :Mr./Mrs/Dr.	Rajan Kundu	With request to maintain and monitor the log books / Records of visits made by Service Engineer under AMC.

Head/Indentor :Mr./Mrs/Dr.		Rajan Kundu	With request to maintain and monitor the log books / Records of visits made by Service Engineer under AMC.		
Div :	AAC	Budget Head :	STS-0009		
		budget field .			

\$